TBKS

Architectural Ironmongery

Commercial Catalogue

COMMERCIAL IRONMONGERY

FOR BUILDERS, DESIGNERS, ARCHITECTS AND PROJECT MANAGERS

Welcome to TBKS

- **TBKS** a major national and international supplier of architectural ironmongery products to the trade and commercial market place for 30 years
- Experienced team - GAI (Guild of Architectural Ironmongers) qualified. Ensuring all customer agreed requirements are met first time every time
- Extensive product range available in stock and on display in the **TBKS** showroom
- Efficient and accurate free of charge scheduling service
- Based in Bath with the capacity and proven track record to support any type of project
  - New builds
  - Historic and listed properties
  - Commercial and private properties
  - Hospitals, Schools, Care Homes
  - Public buildings
- You provide the project requirements and **TBKS** will recommend, agree and provide the correct solution for you

QUALITY AND VARIETY

- Quality and variety, the choice is yours
- 30 years experience in product selection
- Over 5000 products available in contemporary and period styles
- Proven quality and reliability in all our products
- Wide range of materials and finishes from bronze to glass

> **"WORKING TOGETHER WITH TBKS CAN ENSURE YOU SUPPLY THE CORRECT SOLUTION AT THE RIGHT PRICE"**

VISIT WWW.TBKS.CO.UK

- Online trade facility offering a live discount
- Visit, view and order online using the latest information
- Online offers
- Current prices and live stock levels always available
- **TBKS only a phone call away**

FLEXIBLE ORDERING

- Ordering tailored to meet customer agreed requirements
- Computerised stock control
- Orders delivered to site
- **Telephone** 01225 462 090
- **Fax** 01225 443 081
- **E-mail** sales@tbks.co.uk
- **Online** www.tbks.co.uk

DELIVERY

- Free delivery on orders over £150 (excl VAT)
- Next day delivery on all items in stock
- Same day dispatch on all standard orders placed before midday
- Collection available from the **TBKS** showroom
- Export orders - Worldwide

CONTENTS

	VIER	Vier Precision Design - Architectural Stainless Steel	**004**
	ZG4S	BS EN 1906 Grade 4 Stainless Steel Levers & Accs	**012**
	ZPS	Architectural SS304 - Levers & Accessories	**014**
	ZCS	Project SS304 - Levers & Accessories	**022**
	ZCS2	Contract SS201 - Levers & Accessories	**034**
	ZAS	Stainless Steel Accessories	**044**
	ZSS / ZSA	Stainless Steel & Aluminum - Signage	**062**
	FB	Fulton & Bray - Finest Brassware	**068**
	ZAB	Brass Accessories	**092**
	ZAA	Architectural Aluminium - Levers & Accessories	**102**
	ZCA	Contract Aluminium - Levers & Accessories	**112**
	ZPZ	Designer - Levers & Accessories	**116**
	ZCZ	Designer - Levers & Accessories	**126**
	PR0	Project Range - Levers on Backplate	**132**
	ZDL	DIN Locks	**134**
	ZUK	UK & Contract Locks	**142**
	ZTLA	Architectural Locks & Latches	**160**
	ZHS	Stainless Steel Hinges	**166**
	ZEP	Cylinders	**174**
	ZPH	Exidor - Panic Hardware	**186**
	INDEX	Product Directory	**192**
	ZOO INFO	Terms and Conditions - Sales & Returns	**197**

THE PROCESS

Our in-house design team is fully qualified in all aspects of design and production and we constantly aim to supply innovative, stylish and cost-effective hardware and settle for nothing less than top quality.

Design facilities at our head office mean we can create, manufacture and deliver state-of-the-art products.

BESPOKE DESIGN SERVICE

- All aspects of design are implemented to ensure cost effective and aesthetic products
- Where relevant, designs are evaluated for strength from stress analysis, to through to material and environmental considerations
- We can then simulate functions and more importantly aesthetics, involving you the customer, every step of the way.
- Through the work of the design team we can turn your ideas into high quality products in a short space of time

CERTIFICATION IS THE KEY TO OUR SUCCESS...

At ZOO, we are committed to quality and reliability. For this reason, when it comes to achieving and maintaining standards, we have chosen independent third-party testing from Warrington Certification Ltd. This ensures consistent product assurance for Specifiers, Stockists and End Users. The standards achieved and level of traceability ensure confidence with regards to the stated performance of our products.

THE EXPERTS SAY...

For those individuals or companies specifying Certifire certificated door hardware products, they have a duty of care to ensure that the scope of performance of individual products used within a doorset is commensurate with the fire performance being required. It does not automatically follow and, therefore, it cannot be concluded that a product of a higher fire performance can be used in a lower rated doorset without suitable evidence. Certifire certification is only relevant to applications covered by the scope and matrix provided in the certificate.

Chris Hughes,
Warrington Certification

BS EN 12209 GRADE · BS EN 1935 GRADE · BS EN 1906 GRADE · BS EN 1670 GRADE · BS EN 1634-1 · FIRE DOOR 30/60 · CE 1121

ANTI DRILL CYLINDER · ANTI PICK CYLINDER · QUALITY ASSURED · SUITABLE FOR DOMESTIC · SUITABLE FOR COMMERCIAL

certifire

30 minutes and 60 minutes

PRODUCT FINISHES

CODE	DESCRIPTION	COLOUR
PB	Polished Brass	
CP	Polished Chrome	
SC	Satin Chrome	
SS	Satin Stainless	
PS	Polished Stainless	
SA	Satin Aluminium	
PVD	Brass Finish / Anti Tarnish	
PVDN	PVD Nickel	
FB	Florentine Bronze	
PN	Polished Nickel	
SN	Satin Nickel	
NP	Nickel Plate	
EB	Electro Brass	
BK	Black	
PCB	Powder Coat Black	

CODE	DESCRIPTION	COLOUR
PCW	Powder Coat White	
SBPB	Satin Brass / Polished Brass	
SCCP	Satin Chrome / Polished Chrome	
CPSS	Polished Chrome / Satin Stainless	
CPSN	Polished Chrome / Satin Nickel	
CPMB	Polished Chrome / Black Aluminium	
CPA	Polished Chrome / Amber Glass	
CPB	Polished Chrome / Blue Glass	
CPG	Polished Chrome / Green Glass	
CPP	Polished Chrome / Pink Glass	
CPBL	Polished Chrome / Black Glass	
CPWH	Polished Chrome / White Glass	
ICFB	Ivory Crackle / Florentine Bronze	
GCCP	Grey Crackle / Polished Chrome	
PWCP	Plain White / Polished Chrome	

BS EN 1906
3
GRADE



VIER
Precision Design

The Vier Precision Design Architectural range consists of Grade 304 Stainless Steel Levers and Accessories on a contemporary slim-line 52 x 4mm Rose.



VS010

Mitred Lever - Push on Rose

Product Codes

- VS010SS

Key Features

- BS EN 1906 : 2010 Grade 3
- BS EN 1670 : 2007 Grade 5 (Corrosion)
- Tested to 200,000 cycles
- Grade 304 Stainless Steel
- Unsprung Rose
- Heso Spindle
- Bolt through fixings included
- Suitable for 35 - 54mm Thickness Timber Doors

Finishes Available

SS

Standards

Technical





VS020

Radius Lever - Push on Rose

Product Codes

- VS020SS

Key Features

- BS EN 1906 : 2010 Grade 3
- BS EN 1670 : 2007 Grade 5 (Corrosion)
- Tested to 200,000 cycles
- Grade 304 Stainless Steel
- Unsprung Rose
- Heso Spindle
- Bolt through fixings included
- Suitable for 35 - 54mm Thickness Timber Doors

Finishes Available

SS

Standards

Technical



VS030

RTD Lever - Push on Rose

Product Codes

- VS030SS

Key Features

- BS EN 1906 : 2010 Grade 3
- BS EN 1670 : 2007 Grade 5 (Corrosion)
- Tested to 200,000 cycles
- Grade 304 Stainless Steel
- Unsprung Rose
- Heso Spindle
- Bolt through fixings included
- Suitable for 35 - 54mm Thickness Timber Doors

Finishes Available

SS

Standards

Technical





VS040

Mitred Lever - Push on Rose

Product Codes

- VS040SS

Key Features

- BS EN 1906 : 2010 Grade 3
- BS EN 1670 : 2007 Grade 5 (Corrosion)
- Tested to 200,000 cycles
- Grade 304 Stainless Steel
- Unsprung Rose
- Heso Spindle
- Bolt through fixings included
- Suitable for 35 - 54mm Thickness Timber Doors

Finishes Available

SS

Standards

Technical





VS050

Radius Lever - Push on Rose

Product Codes

- VS050SS

Key Features

- BS EN 1906 : 2010 Grade 3
- BS EN 1670 : 2007 Grade 5 (Corrosion)
- Tested to 200,000 cycles
- Grade 304 Stainless Steel
- Unsprung Rose
- Heso Spindle
- Bolt through fixings included
- Suitable for 35 - 54mm Thickness Timber Doors

Finishes Available

SS

Standards

Technical



VS070

Arch RTD Lever - Push on Rose

Product Codes

- VS070SS

Key Features

- BS EN 1906 : 2010 Grade 3
- BS EN 1670 : 2007 Grade 5 (Corrosion)
- Tested to 200,000 cycles
- Grade 304 Stainless Steel
- Unsprung Rose
- Heso Spindle
- Bolt through fixings included
- Suitable for 35 - 54mm Thickness Timber Doors

Finishes Available

SS

Standards

Technical



VS080

RTD Lever - Push on Rose

Product Codes

- VS080SS

Key Features

- BS EN 1906 : 2010 Grade 3
- BS EN 1670 : 2007 Grade 5 (Corrosion)
- Tested to 200,000 cycles
- Grade 304 Stainless Steel
- Unsprung Rose
- Heso Spindle
- Bolt through fixings included
- Suitable for 35 - 54mm Thickness Timber Doors

Finishes Available

SS

Standards

Technical



VS110

Designer Lever - Push on Rose

Product Codes

- VS040SS

Key Features

- BS EN 1906 : 2010 Grade 3
- BS EN 1670 : 2007 Grade 5 (Corrosion)
- Tested to 200,000 cycles
- Grade 304 Stainless Steel
- Unsprung Rose
- Heso Spindle
- Bolt through fixings included
- Suitable for 35 - 54mm Thickness Timber Doors

Finishes Available

SS

Standards

Technical



VS000SS

VS001SS

VS002SS

VS004iSS

VIER ESCUTCHEONS

Product Codes

- VS000SS
  Blank Profile
- VS001SS
  Euro Profile
- VS002SS
  Standard Profile
- VS003SS
  Oval Profile
- VS004iSS
  Turn & Release with Indicator

Key Features

- 52 x 4mm Screw on Rose
- Grade 304

Standards

Technical

Finishes Available

SS

VSD PULL HANDLES

Product Codes

- VSD425BSS
  19 x 300mm 'D' Pull Handle
- VSD425CSS
  21 x 425mm 'D' Pull Handle

Key Features

- 19mm dia. (B)
- 21mm dia. (C)
- Bolt Through Fix as standard
- Optional Rose Pack Available
  (VRP01SS)

Standards

Finishes Available

SS

VSM PULL HANDLES

Product Codes

- VSM425BSS
  19 x 300mm Mitred
  Pull Handle
- VSM425CSS
  21 x 425mm Mitred
  Pull Handle

Key Features

- 19mm dia. (B)
- 21mm dia. (C)
- Bolt Through Fix as standard
- Optional Rose Pack Available
  (VRP01SS)

Standards

Finishes Available

SS

VS21

Integral Slide Action Flush Bolt

Product Codes

- VS21SS

Key Features

- Grade 304
- Radius Profile
- BS 476:198 Tested

Standards

Finishes Available

SS

VRP01SS

Rose Pack suitable for 19mm Vier Pull Handles

Key Features

- 52 x 4mm Dia. Rose

Finishes Available

SS

ZG4S
Levers & Accessories

The ZG4S range is made exclusively from 304 grade stainless steel. All designs feature a 52mm diameter Screw on Rose, all tested to BS EN 1906 Grade 4.

ZG4S030

RTD Lever - Screw on Rose

Finishes

- ZG4S030SS

Key Features

- BS EN 1906 : 2010 Grade 4
- BS EN 1670 : 2007 Grade 5 (Corrosion)
- Frequent on Doors associated with misuse or violent use
- Tested to 200,000 cycles
- Grade 304 Stainless Steel
- Sprung Rose
- Cast Inner Rose
- M4 Male/Female Fixings
- Suitable for 35 - 54mm Thickness Timber Doors
- ZG4SPS - Spare Screw Packs to suit ZG4S030 available

Standards

Technical



Finishes Available

SS

ZG4S00SS

ZG4S003SS

ZG4S ESCUTCHEONS

Product Codes

- ZG4S000SS
  Blank Profile
- ZG4S001SS
  Euro Profile
- ZG4S002SS
  Standard Profile
- ZG4S003SS
  Oval Profile

Key Features

- BS EN 1906 : 2010 Grade 4
- Sold as Pairs with Stainless Steel Cast Inner Rose
- 52mm Screw on Rose dia.
- Fixing Screws supplied

Standards

Technical

Finishes Available

SS

ZPS
Levers & Accessories

The ZPS range is made exclusively from 304 grade stainless steel. All designs feature a 50mm diameter screw on rose, all tested to BS EN 1906 Grade 3.

ZPS010

Mitred Lever - Screw on Rose

Product Codes

- ZPS010SS

Key Features

- BS EN 1906 : 2010 Grade 3
- BS EN 1670 : 2007 Grade 5 (Corrosion)
- Tested to 200,000 cycles
- Grade 304 Stainless Steel
- Sprung Rose
- Heso Spindle
- Bolt through fixings included
- Suitable for 35 - 54mm Thickness Timber Doors

3	7	-	1	0	5	0	B

Finishes Available

SS

Standards

Technical



ZPS020

Radius Lever - Screw on Rose

Product Codes

- ZPS020SS

Key Features

- BS EN 1906 : 2010 Grade 3
- BS EN 1670 : 2007 Grade 5 (Corrosion)
- Tested to 200,000 cycles
- Grade 304 Stainless Steel
- Sprung Rose
- Heso Spindle
- Bolt through fixings included
- Suitable for 35 - 54mm Thickness Timber Doors

3	7	-	1	0	5	0	B

Finishes Available

SS

Standards

Technical



ZPS Escutcheons & Accessories are available on Pg's. 020 - 021

ZPS030

RTD Lever - Screw on Rose

Product Codes

- ZPS030SS

Key Features

- BS EN 1906 : 2010 Grade 3
- BS EN 1670 : 2007 Grade 5 (Corrosion)
- Tested to 200,000 cycles
- Grade 304 Stainless Steel
- Sprung Rose
- Heso Spindle
- Bolt through fixings included
- Suitable for 35 - 54mm Thickness Timber Doors

3	7	-	1	0	5	0	B

Finishes Available

SS

Standards

Technical



ZPS070

Radius Lever - Screw on Rose

Product Codes

- ZPS070SS

Key Features

- BS EN 1906 : 2010 Grade 3
- BS EN 1670 : 2007 Grade 5 (Corrosion)
- Tested to 200,000 cycles
- Grade 304 Stainless Steel
- Sprung Rose
- Heso Spindle
- Bolt through fixings included
- Suitable for 35 - 54mm Thickness Timber Doors

3	7	-	1	0	5	0	B

Finishes Available

SS

Standards

Technical



ZPS080

RTD Lever - Screw on Rose

Product Codes

- ZPS080SS

Key Features

- BS EN 1906 : 2010 Grade 3
- BS EN 1670 : 2007 Grade 5 (Corrosion)
- Tested to 200,000 cycles
- Grade 304 Stainless Steel
- Sprung Rose
- Heso Spindle
- Bolt through fixings included
- Suitable for 35 - 54mm Thickness Timber Doors

3	7	-	1	0	5	0	B

Finishes Available

SS

Standards

Technical



ZPS110

Orion Lever - Screw on Rose

Product Codes

- ZPS110SS

Key Features

- BS EN 1906 : 2010 Grade 3
- BS EN 1670 : 2007 Grade 5 (Corrosion)
- Tested to 200,000 cycles
- Grade 304 Stainless Steel
- Sprung Rose
- Heso Spindle
- Bolt through fixings included
- Suitable for 35 - 54mm Thickness Timber Doors

3	7	-	1	0	5	0	B

Finishes Available

SS

Standards

Technical



ZPS
Stainless Steel

ZPS Escutcheons are available on Pg. 020

ZPS120
Athena Lever - Screw on Rose

Product Codes
- ZPS120SS

Key Features
- BS EN 1906 : 2010 Grade 3
- BS EN 1670 : 2007 Grade 5 (Corrosion)
- Tested to 200,000 cycles
- Grade 304 Stainless Steel
- Sprung Rose
- Heso Spindle
- Bolt through fixings included
- Suitable for 35 - 54mm Thickness Timber Doors

3	7	-	1	0	5	0	B

Finishes Available

SS

Standards

Technical



ZPS130
Eros Lever - Screw on Rose

Product Codes
- ZPS130SS

Key Features
- BS EN 1906 : 2010 Grade 3
- BS EN 1670 : 2007 Grade 5 (Corrosion)
- Tested to 200,000 cycles
- Grade 304 Stainless Steel
- Sprung Rose
- Heso Spindle
- Bolt through fixings included
- Suitable for 35 - 54mm Thickness Timber Doors

3	7	-	1	0	5	0	B

Finishes Available

SS

Standards

Technical



ZPS100

Facility Indicator

Product Codes

- ZPS100SS

Key Features

- Grade 304 Stainless Steel
- Reversible Function
- Swing & Slide Door
- BS EN 1634-1

Finishes Available

SS

Standards

ZPS200

Ball Mortice Knob

Product Codes

- ZPS200SS

Key Features

- Grade 304 Stainless Steel
- 55mm Ball dia.
- 50mm Screw on Rose dia.
- 90mm Projection

Finishes Available

SS

ZPS Accessories are available on Pg. 021

ZPS001SS

ZPS002SS

ZPS ESCUTCHEONS

Product Codes

- ZPS000SS
  Blank Profile
- ZPS001SS
  Euro Profile
- ZPS002SS
  Standard Profile
- ZPS003SS
  Oval Profile

Key Features

- Grade 304 Stainless Steel
- 50mm Screw on Rose dia.
- Fixing Screws supplied
- BS EN 1634-1

Standards

Technical

Finishes Available

SS

ZPS006iSS

ZPS007iSS

ZPS TURN & RELEASES

Product Codes

- ZPS004SS
  Turn & Release - 5mm Spindle
- ZPS004iSS
  Turn & Release with Indicator - 5mm Spindle
- ZPS005SS
  Turn & Release - 8mm Spindle
- ZPS006iSS
  Turn & Release - 5mm Disabled Turn with Indicator
- ZPS007iSS
  Turn & Release - Disabled RTD Lever with Indicator

Key Features

- Grade 304 Stainless Steel
- 50mm Screw on Rose dia.
- Fixing Screws supplied
- BS EN 1634-1

Standards

Technical

Finishes Available

SS

ADDITIONAL ACCESSORIES

SP30
Spare Heso Spindle Pack - 2 x Heso Grub Screws, 1 x Spindle and Allen Key

Product Codes
- SP30

SPS13
Spare Screw Pack to suit ZPS Levers - Includes M4 Bolt and Wood Screws

Product Codes
- SPS13

ZFP04
Spare Fixing Pack to suit ZPS Levers

Product Codes
- ZFP04

ZFP07
Spare Fixing Pack to suit Stainless Steel Facility Indicators

Product Codes
- ZFP07

ZCS
304 Stainless Steel

BS EN 1906 3 GRADE

ZCS
Levers & Accessories

The ZCS range is made exclusively from 304 grade tubular stainless steel. All designs feature a 52mm diameter Push on Rose, all tested to performance Grade 3.

ZCS010

Mitred Lever - Push on Rose

Product Codes

- ZCS010SS
- ZCS010PS

Key Features

- BS EN 1906 : 2010 Grade 3
- BS EN 1670 : 2007 Grade 5 (Corrosion)
- Tested to 200,000 cycles
- Grade 304 Stainless Steel
- Sprung Rose
- Heso Spindle
- Bolt through fixings included
- Suitable for 35 - 54mm Thickness Timber Doors

3	7	-	1	1	5	0	B

Standards

Technical



Finishes Available

SS PS

ZCS020

Radius Lever - Push on Rose

Product Codes

- ZCS020SS

Key Features

- BS EN 1906 : 2010 Grade 3
- BS EN 1670 : 2007 Grade 5 (Corrosion)
- Tested to 200,000 cycles
- Grade 304 Stainless Steel
- Sprung Rose
- Heso Spindle
- Bolt through fixings included
- Suitable for 35 - 54mm Thickness Timber Doors

3	7	-	1	1	5	0	B

Standards

Technical



Finishes Available

SS

ZCS Escutcheons & Accessories are available on Pg's. 027 - 028

ZCS030

RTD Lever - Push on Rose

Product Codes

- ZCS030SS
- ZCS030PS

Key Features

- BS EN 1906 : 2010 Grade 3
- BS EN 1670 : 2007 Grade 5 (Corrosion)
- Tested to 200,000 cycles
- Grade 304 Stainless Steel
- Sprung Rose
- Heso Spindle
- Bolt through fixings included
- Suitable for 35 - 54mm Thickness Timber Doors

3	7	-	1	1	5	0	B

Standards

Technical



Finishes Available

SS PS

ZCS040

Arched Lever - Push on Rose

Product Codes

- ZCS040SS

Key Features

- BS EN 1906 : 2010 Grade 3
- BS EN 1670 : 2007 Grade 5 (Corrosion)
- Tested to 200,000 cycles
- Grade 304 Stainless Steel
- Sprung Rose
- Heso Spindle
- Bolt through fixings included
- Suitable for 35 - 54mm Thickness Timber Doors

3	7	-	1	1	5	0	B

Standards

Technical



Finishes Available

SS

ZCS050

Oval Lever - Push on Rose

Product Codes

- ZCS050SS

Key Features

- BS EN 1906 : 2010 Grade 3
- BS EN 1670 : 2007 Grade 5 (Corrosion)
- Tested to 200,000 cycles
- Grade 304 Stainless Steel
- Sprung Rose
- Heso Spindle
- Bolt through fixings included
- Suitable for 35 - 54mm Thickness Timber Doors

3	7	-	1	1	5	0	B

Standards

Technical



Finishes Available

SS

ZCS070

Radius Lever - Push on Rose

Product Codes

- ZCS070SS

Key Features

- BS EN 1906 : 2010 Grade 3
- BS EN 1670 : 2007 Grade 5 (Corrosion)
- Tested to 200,000 cycles
- Grade 304 Stainless Steel
- Sprung Rose
- Heso Spindle
- Bolt through fixings included
- Suitable for 35 - 54mm Thickness Timber Doors

3	7	-	1	1	5	0	B

Standards

Technical



Finishes Available

SS

ZCS Escutcheons & Accessories are available on Pg's. 027 - 028

ZCS080

RTD Lever - Push on Rose

Product Codes

- ZCS080SS
- ZCS080PS

Key Features

- BS EN 1906 : 2010 Grade 3
- BS EN 1670 : 2007 Grade 5 (Corrosion)
- Tested to 200,000 cycles
- Grade 304 Stainless Steel
- Sprung Rose
- Heso Spindle
- Bolt through fixings included
- Suitable for 35 - 54mm Thickness Timber Doors

3	7	-	1	1	5	0	B

Standards

Technical



Finishes Available

SS PS

ZCS090

Atlas Lever - Push on Rose

Product Codes

- ZCS090SS

Key Features

- BS EN 1906 : 2010 Grade 3
- BS EN 1670 : 2007 Grade 5 (Corrosion)
- Tested to 200,000 cycles
- Grade 304 Stainless Steel
- Sprung Rose
- Heso Spindle
- Bolt through fixings included
- Suitable for 35 - 54mm Thickness Timber Doors

3	7	-	1	1	5	0	B

Standards

Technical



Finishes Available

SS

ZCS120

Arched T-Bar Lever - Push on Rose

Product Codes

- ZCS120PS

Key Features

- BS EN 1906 : 2010 Grade 3
- BS EN 1670 : 2007 Grade 5 (Corrosion)
- Tested to 200,000 cycles
- Grade 304 Stainless Steel
- Sprung Rose
- Heso Spindle
- Bolt through fixings included
- Suitable for 35 - 54mm Thickness Timber Doors

3	7	-	1	1	5	0	B

Standards

Technical



Finishes Available

PS

ZCS000PS

ZCS001SS

ZCS ESCUTCHEONS

Product Codes

- ZCS000SS
- ZCS000PS
  Blank Profile
- ZCS001SS
- ZCS001PS
  Euro Profile
- ZCS002SS
- ZCS002PS
  Standard Profile
- ZCS003SS
- ZCS003PS
  Oval Profile

Key Features

- Grade 304 Stainless Steel
- 52mm Push on Rose dia.
- Fixing Screws supplied
- BS EN 1634-1

Standards

Technical

Finishes Available

SS PS

ZCS
304 Stainless Steel

ZCS Levers on Rose are available on Pg's. 023 - 027

ZCS004SS

ZCS006iSS

ZCS TURN & RELEASE'S

Product Codes

- ZCS004SS
- ZCS004PS
  Turn & Release - 5mm Spindle
- ZCS004iSS
- ZCS004iPS
  Turn & Release with Indicator - 5mm Spindle
- ZCS006iSS
- ZCS006iPS
  Turn & Release - 5mm Disabled Turn with Indicator

Key Features

- Grade 304 Stainless Steel
- BS EN 1634-1
- 52mm Push on Rose dia.
- Fixing Screws supplied

Standards

Technical

Finishes Available

ADDITIONAL ACCESSORIES

SP21

Spare ZCS Push On Outer Rose Covers

Product Codes

- SP21SS

ZCSIP19SP

19mm RTD Lever on Short Inner Backplate

Product Codes

- ZCSIP19SP

Key Features

- BS EN 1906 : 2010 Grade 3
- Dimensions - 178 x 43mm
- Inc. Cover Plate - 180 x 45mm
- Grade 304 Stainless Steel
- M4 Male/Female Fixings
- M6 HESO Grub Screws
- Supplied with Wood Screws

Finishes Available

SS

Standards

Technical



ZCS41SS

ZCS SHORT COVER PLATES

Product Codes

- ZCS41SS
  Lock Cover Plate for ZCSIPSP
- ZCS41EPSS
  Euro Cover Plate for ZCSIPSP
- ZCS41OPSS
  Oval Cover Plate for ZCSIPSP
- ZCS42SS
  Latch Cover Plate for ZCSIPSP
- ZCS43SS
  Bathroom Cover Plate for ZCSIPSP
- ZCS41EPSS72
  Euro Lock Cover Plate for ZCSIPSP - 72mm c/c
- ZCS43SS78
  Bathroom Cover Plate for ZCSIPSP - 78mm c/c

Key Features

- Grade 304 Stainless Steel
- BS EN 1634-1

Standards

Finishes Available

SS

ZCS Inner Plates are available on Pg's. 029 - 031

ZCSIP19

19mm RTD Lever on Inner Backplate

Product Codes

- ZCSIP19SS

Key Features

- BS EN 1906 : 2010 Grade 3
- Dimensions - 218 x 48mm
- Inc. Cover Plate - 220 x 50mm
- Grade 304 Stainless Steel
- M4 Male/Female Fixings
- M6 HESO Grub Screws
- Supplied with Wood Screws

Finishes Available

SS

Standards

Technical



ZCSIP22

22mm RTD Lever on Inner Backplate

Product Codes

- ZCSIP22SS

Key Features

- BS EN 1906 : 2010 Grade 3
- Dimensions - 218 x 48mm
- Inc. Cover Plate - 220 x 50mm
- Grade 304 Stainless Steel
- M4 Male/Female Fixings
- M6 HESO Grub Screws
- Supplied with Wood Screws

Finishes Available

SS

Standards

Technical



ZCS31EPSS

ZCS31RSS

ZCS31OPSS

ZCS COVER PLATES

Product Codes

- ZCS31SS
- ZCS31RSS
  Lock Cover Plate for ZCSIP
- ZCS31EPSS
- ZCS31EPRSS
  Euro Cover Plate for ZCSIP
- ZCS31OPSS
- ZCS31OPRSS
  Oval Cover Plate for ZCSIP
- ZCS32SS
- ZCS32RSS
  Latch Cover Plate for ZCSIP
- ZCS33SS
- ZCS33RSS
  Bathroom Cover Plate for ZCSIP
- ZCS31EPSS72
- ZCS31EPRSS72
  Euro Lock Cover Plate for ZCSIP - 72mm c/c
- ZCS33SS78
- ZCS33RSS78
  Bathroom Cover Plate for ZCSIP - 78mm c/c

Key Features

- Grade 304 Stainless Steel
- BS EN 1634-1

Standards

Finishes Available

SS

ZRP02SS (Push On) & ZRP03SS (Screw On) Pull Handle Accessories are available on Pg. 033

ZCSD PULL HANDLES

Product Codes

- ZCSD150BS
- ZCSD150BP
  19 x 150mm 'D' Pull Handle
- ZCSD225BS
- ZCSD225BP
  19 x 225mm 'D' Pull Handle
- ZCSD300BS
- ZCSD300BP
  19 x 300mm 'D' Pull Handle
- ZCSD425BS
- ZCSD425BP
  19 x 425mm 'D' Pull Handle
- ZCSD600BS
- ZCSD600BP
  19 x 600mm 'D' Pull Handle
- ZCSD300CS
  22 x 300mm 'D' Pull Handle
- ZCSD425CS
  22 x 425mm 'D' Pull Handle
- ZCSD600CS
  22 x 600mm 'D' Pull Handle

Key Features

- BS EN 1634-1
- Grade 304 Stainless Steel
- 19mm Tubular
- 22mm Tubular

Standards

Finishes Available

SS PS

ZCSG PULL HANDLES

Product Codes

- ZCSG300BS
  19 x 300mm Guardsman Pull Handle
- ZCSG425BS
  19 x 425mm Guardsman Pull Handle
- ZCSG600BS
  19 x 600mm Guardsman Pull Handle
- ZCSG300CS
  22 x 300mm Guardsman Pull Handle
- ZCSG425CS
  22 x 425mm Guardsman Pull Handle
- ZCSG600CS
  22 x 600mm Guardsman Pull Handle

Handle Lengths

- 300mm c/c = 400mm Overall
- 425mm c/c = 525mm Overall
- 600mm c/c = 700mm Overall

Key Features

- BS EN 1634-1
- Grade 304 Stainless Steel
- 19mm Tubular
- 22mm Tubular

Standards

Finishes Available

SS

ZBBF25SS

PULL HANDLE ACCESSORIES

Product Codes

- ZBBF19SS
  Back to Back Fixing Pack for 19mm Pull Handles
- ZBBF22SS
  Back to Back Fixing Pack for 22mm Pull Handles
- ZBBF25SS
  Back to Back Fixing Pack for 30mm Guardsman Pull Handles
- ZBBF30SS
  Back to Back Fixing Pack for 30mm Pull Handles

Key Features

- BS EN 1634-1

Standards

FIRE DOOR 30 / 60

Finishes Available

SS

ADDITIONAL ACCESSORIES

ZFP01

Spare Fixing Pack for Pull Handles

Product Codes

- ZFP01

ZFP06

Spare Fixing Pack for 19mm Pull Handles - M8x65mm

Product Codes

- ZFP06

ZRP02

Push on Rose Pack for Pull Handles

Product Codes

- ZRP02SS

ZRP03

Screw on Rose Pack for Pull Handles

Product Codes

- ZRP03SS

ZCS2
Levers & Accessories

The ZCS2 range is made exclusively from 201 grade tubular stainless steel. All designs feature a 52mm Push on Rose, all corrosion tested to BS EN 1670 Grade 5.

ZCS2010

Mitred Lever - Push on Rose

Product Codes

- ZCS2010SS

Key Features

- BS EN 1670 : 2007 Grade 5 (Corrosion)
- BS EN 1634-1
- Grade 201 Stainless Steel
- Sprung Rose
- Suitable for 35 - 54mm Thickness Timber Doors

Finishes Available

SS

Standards

Technical



ZCS2020

Radius Lever - Push on Rose

Product Codes

- ZCS2020SS

Key Features

- BS EN 1670 : 2007 Grade 5 (Corrosion)
- BS EN 1634-1
- Grade 201 Stainless Steel
- Sprung Rose
- Suitable for 35 - 54mm Thickness Timber Doors

Finishes Available

SS

Standards

Technical



ZCS2
201 Stainless Steel

ZCS2 Escutcheons are available on Pg. 039

ZCS2030
RTD Lever - Push on Rose

Product Codes
- ZCS2030SS

Key Features
- BS EN 1670 : 2007 Grade 5 (Corrosion)
- BS EN 1634-1
- Grade 201 Stainless Steel
- Sprung Rose
- Suitable for 35 - 54mm Thickness Timber Doors

Finishes Available

SS

Standards

Technical



ZCS2040
Arched Lever - Push on Rose

Product Codes
- ZCS2040SS

Key Features
- BS EN 1670 : 2007 Grade 5 (Corrosion)
- BS EN 1634-1
- Grade 201 Stainless Steel
- Sprung Rose
- Suitable for 35 - 54mm Thickness Timber Doors

Finishes Available

SS

Standards

Technical



ZCS2080

RTD Lever - Push on Rose

Product Codes

- ZCS2080SS

Key Features

- BS EN 1670 : 2007 Grade 5 (Corrosion)
- BS EN 1634-1
- Grade 201 Stainless Steel
- Sprung Rose
- Suitable for 35 - 54mm Thickness Timber Doors

Finishes Available

SS

Standards

Technical



ZCS2120

Arched T Bar Lever - Push on Rose

Product Codes

- ZCS2120SS

Key Features

- BS EN 1670 : 2007 Grade 5 (Corrosion)
- BS EN 1634-1
- Grade 201 Stainless Steel
- Sprung Rose
- Suitable for 35 - 54mm Thickness Timber Doors

Finishes Available

SS

Standards

Technical



ZCS2
201 Stainless Steel

ZCS2 Escutcheons are available on Pg. 039

ZCS2130
T Bar Lever - Push on Rose

Product Codes
- ZCS2130SS

Key Features
- BS EN 1670 : 2007 Grade 5 (Corrosion)
- BS EN 1634-1
- Grade 201 Stainless Steel
- Sprung Rose
- Suitable for 35 - 54mm Thickness Timber Doors

Finishes Available

SS

Standards

Technical



ZCS2140
Curved Lever - Push on Rose

Product Codes
- ZCS2140SS

Key Features
- BS EN 1670 : 2007 Grade 5 (Corrosion)
- BS EN 1634-1
- Grade 201 Stainless Steel
- Sprung Rose
- Suitable for 35 - 54mm Thickness Timber Doors

Finishes Available

SS

Standards

Technical



ZPS001SS

ZPS002SS

ZCS2 ESCUTCHEONS

Product Codes

- ZCS2000SS
  Blank Profile
- ZCS2001SS
  Euro Profile
- ZCS2002SS
  Standard Profile
- ZCS2003SS
  Oval Profile

Key Features

- Grade 201 Stainless Steel
- BS EN 1634-1
- 52mm Push on Rose dia.
- Fixing Screws supplied

Standards

Technical

Finishes Available

SS

ZCS2004SS

ZCS2006iSS

ZCS2 TURN & RELEASE'S

Product Codes

- ZCS2004SS
  Turn & Release - 5mm Spindle
- ZCS2006iSS
  Turn & Release - 5mm Disabled
  Turn with Indicator

Key Features

- Grade 201 Stainless Steel
- BS EN 1634-1
- 52mm Push on Rose dia.
- Fixing Screws supplied

Standards

Technical

Finishes Available

SS

ZCS2 Pull Handle Accessories are available on Pg. 042

ZCS2D PULL HANDLES

Product Codes

- ZCS2D150BS
  19 x 150mm 'D' Pull Handle
- ZCS2D225BS
  19 x 225mm 'D' Pull Handle
- ZCS2D300BS
  19 x 300mm 'D' Pull Handle
- ZCS2D425BS
  19 x 425mm 'D' Pull Handle
- ZCS2D600BS
  19 x 600mm 'D' Pull Handle
- ZCS2D300CS
  22 x 300mm 'D' Pull Handle
- ZCS2D425CS
  22 x 425mm 'D' Pull Handle
- ZCS2D600CS
  22 x 600mm 'D' Pull Handle

Key Features

- BS EN 1634-1
- Grade 201 Stainless Steel
- 19mm Tubular
- 22mm Tubular

Standards

Finishes Available

SS

ZCS2M PULL HANDLES

Product Codes

- ZCS2M150BS
  19 x 150mm Mitred Pull Handle
- ZCS2M225BS
  19 x 225mm Mitred Pull Handle
- ZCS2M300BS
  19 x 300mm Mitred Pull Handle
- ZCS2M425BS
  19 x 425mm Mitred Pull Handle
- ZCS2M600BS
  19 x 600mm Mitred Pull Handle

Key Features

- BS EN 1634-1
- Grade 201 Stainless Steel
- 19mm Tubular
- Bolt Through Fixings

Standards

Finishes Available

SS

ZCS2G PULL HANDLES

Product Codes

- ZCS2G300BS
  19 x 300mm Guardsman Pull Handle
- ZCS2G425BS
  19 x 425mm Guardsman Pull Handle
- ZCS2G600BS
  19 x 600mm Guardsman Pull Handle
- ZCS2G300CS
  22 x 300mm Guardsman Pull Handle
- ZCS2G425CS
  22 x 425mm Guardsman Pull Handle
- ZCS2G600CS
  22 x 600mm Guardsman Pull Handle

Handle Lengths

- 300mm c/c = 400mm Overall
- 425mm c/c = 525mm Overall
- 600mm c/c = 700mm Overall

Key Features

- BS EN 1634-1
- Grade 201 Stainless Steel
- 19mm Tubular
- 22mm Tubular

Standards

Finishes Available

SS

ZCS2G PULL HANDLES

Product Codes

- ZCS2G600ES
  30 x 600mm Guardsman Pull Handle
- ZCS2G1200ES
  30 x 1200mm Guardsman Pull Handle
- ZCS2G1800ES
  30 x 1800mm Guardsman Pull Handle

Handle Lengths

- 400mm c/c = 600mm Overall
- 1000mm c/c = 1200mm Overall
- 1600mm c/c = 1800mm Overall

Key Features

- BS EN 1634-1
- Grade 201 Stainless Steel
- 30mm Tubular

Standards

Finishes Available

SS

ZCS2
201 Stainless Steel

ZBBF Back to Back Fixings for Pull Handles are available on Pg. 033

ADDITIONAL ACCESSORIES

SP22
Spare ZCS2 Push On Outer Rose Covers

Product Codes
- SP22SS

SP26
Spare Spindle - 8 x 8 x 120mm Long

Product Codes
- SP26

ZFP03
Spare Fixing Pack for ZCS2 Levers

Product Codes
- ZFP03

ZRP01
Rose Pack for ZCS2 Pull Handles

Product Codes
- ZRP01SS

BS EN 1906 classifies door furniture by using an 8 digit coding system.

A similar classification applies to all building hardware product standards so that complementary items of hardware can be specified to, for instance, a common level of corrosion resistance, category of use, etc. Each digit refers to a particular feature of the product measured against the standards performance requirements.

Digit 1 – Category of use

Four grades are identified:

- Grade 1: medium frequency of use with a high incentive to exercise care and a small chance of misuse, e.g. internal residential doors;
- Grade 2: medium frequency of use by people with some incentive to exercise care but where there is some chance of misuse, e.g. internal office doors;
- Grade 3: high frequency of use by public or others with little incentive to exercise care and with a high chance of misuse, e.g. public office doors;
- Grade 4: high frequency of use on doors which are subject to frequent violent use, e.g. football stadiums, oil rigs, barracks, public toilets, etc.

Digit 2 – Durability

Two grades of durability are identified:

- Grade 6: medium use - 100 000 cycles
- Grade 7: high use - 200 000 cycles

Digit 3 – Test door mass

No classification.

Digit 4 – Fire resistance

Four grades of fire resistance are identified:

- Grade 0: no performance determined;
- Grade A: for use on smoke door assemblies.
- Grade B: for use on smoke control and fire resistance door assemblies.
- Grade C: for use on smoke control and fire resistance door assemblies with requirement for special core in the handle/knob.

Digit 5 – Safety

Two grades of safety are identified:

- Grade 0: normal use
- Grade 1: safety application - example handles must have high strength handle-to-plate and plate-to-door fixing such that they would withstand a person grabbing in order to prevent falling.

Digit 6 – Corrosion resistance

Five grades are identified according to EN 1670:

- Grade 0: no defined corrosion resistance
- Grade 1: mild resistance - minimum requirement for internal use
- Grade 2: moderate resistance
- Grade 3: high resistance - minimum requirement for external use
- Grade 4: very high resistance - recommended for use in exposed marine atmospheres or very polluted industrial environments.
- Grade 5: exceptionally high corrosion resistance recommended for use in exceptionally severe conditions where long-term protection of the product is required.

Digit 7 – Security

Five grades are identified:

- Grade 0: not approved for use on burglary resistant doors
- Grade 1: mild burglary resistance
- Grade 2: moderate burglary resistance
- Grade 3: high burglary resistance
- Grade 4: extra high burglary resistance

Note: The main requirements include resistance to drilling, close fitting plates or escutcheons to help protect the lock and support the cylinder.

Digit 8 – Type of operation

Three operation types are identified:

- Type A: spring assisted furniture
- Type B: spring loaded furniture
- Type U: unsprung furniture

ZAS
Stainless Steel Accessories

A range of complimentary products made from stainless steel to be used with our ZPS, ZCS & ZCS2 ranges. The collection ranges from Flush Bolts to Robe Hooks.



ZAS12SS

ZAS LEVER ACTION FLUSH BOLTS

Product Codes

- ZAS02SS
  20 x 150mm Lever Action Flush Bolt
- ZAS03SS
- ZAS03RSS
  20 x 200mm Lever Action Flush Bolt
- ZAS05SS
- ZAS05RSS
  20 x 305mm Lever Action Flush Bolt
- ZAS12SS
- ZAS12RSS
  20 x 450mm Lever Action Flush Bolt
- ZAS13SS
- ZAS13RSS
  20 x 609mm Lever Action Flush Bolt
- ZAS09SS
  20 x 904mm Lever Action Flush Bolt

Finishes Available

SS

Key Features

- Available in Square & Radius Profiles

ZAS14

Dust Excluding Socket for Flush Bolts - Concrete

Product Codes

- ZAS14SS

Key Features

- 20 x 25mm

Finishes Available

SS

Standards

ZAS14A

Dust Excluding Socket for Flush Bolts - Timber

Product Codes

- ZAS14ASS

Key Features

- 20 x 38mm

Finishes Available

SS

Standards

ZAS10

Flush Pull - Rectangular

Product Codes

- ZAS10SS

Key Features

- 50 x 100mm

Finishes Available

SS

ZAS40BSS

ZAS FLUSH PULLS

Product Codes

- ZAS40ASS
  Square Flush Pull - 30 x 30mm
- ZAS40BSS
  Square Flush Pull - 40 x 40mm
- ZAS40CSS
  Square Flush Pull - 50 x 50mm

Finishes Available

SS

Key Features

- 30 x 30mm
- 40 x 40mm
- 50 x 50mm

ZAS41

Flush Pull - Half Moon

Product Codes

- ZAS41SS

Key Features

- 75mm dia.

Finishes Available

SS

ZAS16SS

ZAS CYLINDER LATCH PULLS

Product Codes

- ZAS16SS
  Cylinder Latch Pull
  Euro Profile
- ZAS17SS
  Cylinder Latch Pull
  Oval Profile
- ZAS18SS
  Cylinder Latch Pull
  Round Profile
- ZAS19SS
  Cylinder Latch Pull
  Blank Profile

Key Features

- BS EN 1634-1
- 43 x 88mm

Finishes Available

SS

ZAS42

Ring Pull

Product Codes

- ZAS42SS

Key Features

- 44 x 62mm

Finishes Available

SS

ZAS43

Ring Pull

Product Codes

- ZAS43SS

Key Features

- 38 x 48mm

Finishes Available

SS

ZAS
Stainless Steel Accessories

ZAS008
Security Escutcheon

Product Codes
- ZAS008SS

Key Features
- FD 30/60 Tested

Finishes Available

SS

Standards

ZAS15
Architectural Door Bolt - "Zoo Bolt"

Product Codes
- ZAS15SS

Key Features
- 22mm Forend
- Includes 8mm Follower

Finishes Available

SS

ZAS25
Toilet Door Indicator

Product Codes
- ZAS25SS

Key Features
- FD 30/60 Tested

Finishes Available

SS

ZAS37
Letter Plate

Product Codes
- ZAS37SS

Key Features
- 340 x 75mm
- Aperture - 280 x 45mm

Finishes Available

SS

ZAS38
Letter Tidy

Product Codes
- ZAS38SS

Key Features
- 350 x 75mm

Finishes Available

SS

ZAS51
Taylor Spindle

Product Codes
- ZAS51SS

Key Features
- 26 x 28mm

Finishes Available

SS

ZAS30RASS

ZAS "PUSH" FINGER PLATES

Product Codes

- ZAS30RASS
  75 x 300mm Finger Plate "PUSH" Engraved
- ZAS30RBSS
  75 x 350mm Finger Plate "PUSH" Engraved
- ZAS30RCSS
  75 x 475mm Finger Plate "PUSH" Engraved
- ZAS30RDSS
  75 x 650mm Finger Plate "PUSH" Engraved

Key Features

- 75 x 300mm (A)
- 75 x 350mm (B)
- 75 x 475mm (C)
- 75 x 650mm (D)

Standards

Finishes Available

SS

ZAS32RCSS

ZAS FINGER PLATES

Product Codes

- ZAS32RASS
  75 x 300mm Finger Plate
- ZAS32RBSS
  75 x 350mm Finger Plate
- ZAS32RCSS
  75 x 475mm Finger Plate
- ZAS32RDSS
  75 x 650mm Finger Plate

Key Features

- 75 x 300mm (A)
- 75 x 350mm (B)
- 75 x 475mm (C)
- 75 x 650mm (D)

Standards

Finishes Available

SS

ZAS33

Finger Plate - "PUSH" Engraved

Product Codes

- ZAS33SS

Key Features

- 75 x 30mm

Finishes Available

SS

Standards

ZAS34

Finger Plate - "PULL" Engraved

Product Codes

- ZAS34SS

Key Features

- 75 x 30mm

Finishes Available

SS

Standards

ZAS06B

Door Stop - Floor Mounted - Oval

Product Codes

- ZAS06BSS

Key Features

- 45mm dia.
- BS EN 1634-1

Finishes Available

SS

Standards

ZAS06C

Door Stop - Floor Mounted - Oval

Product Codes

- ZAS06CSS
- ZAS06CPS

Key Features

- 40mm dia.
- BS EN 1634-1

Finishes Available

SS PS

Standards

ZAS84

Door Stop - Floor Mounted
- Heavy Duty 3 Fixing Points

Product Codes

- ZAS84SS

Standards

Key Features

- Heavy Duty
- Excellent for Commercial use
- 60 x 51mm
- BS EN 1634-1

Finishes Available

SS

ZAS85

Door Stop - Floor Mounted
- Round Flat Top

Product Codes

- ZAS85SS
- ZAS85PS

Standards

Key Features

- 30 x 40mm
- BS EN 1634-1

Finishes Available

SS PS

ZAS86

Door Stop - Floor Mounted - Round

Product Codes

- ZAS86SS

Key Features

- 40mm dia.
- BS EN 1634-1

Finishes Available

SS

Standards

ZAS87

Door Stop - Floor Mounted - Sloped

Product Codes

- ZAS87SS

Key Features

- 38mm dia.
- BS EN 1634-1

Finishes Available

SS

Standards

ZAS88

Door Stop - Floor Mounted - Round Dome Top

Product Codes

- ZAS88SS

Key Features

- 35mm dia.
- BS EN 1634-1

Standards

Finishes Available

SS

ZAS89

Door Stop - Floor Mounted - Cone

Product Codes

- ZAS89SS

Key Features

- 38mm dia.
- BS EN 1634-1

Standards

Finishes Available

SS

ZAS07

Door Stop - Solid Projection with Rose

Product Codes

- ZAS07SS

Key Features

- 70mm Cylinder

Finishes Available

SS

Standards



ZAS08B

Door Stop - Hollow Projection without Rose

Product Codes

- ZAS08BSS
- ZAS08BPS

Key Features

- 74mm Cylinder

Finishes Available

SS PS

Standards

ZAS11

Door Stop - Hollow Projection without Rose

Product Codes

- ZAS11SS

Key Features

- 70mm Cylinder

Finishes Available

SS

Standards



ZAS12SQ

Door Stop - Solid Projection without Rose - Square

Product Codes

- ZAS12SQS
- ZAS12SQP

Key Features

- 65mm Cylinder

Finishes Available

SS PS

Standards

ZAS70

Double Robe Hook

Product Codes

- ZAS70SS

Key Features

- Double Hook

Finishes Available

SS

Standards

ZAS71

Double Hat & Coat Hook

Product Codes

- ZAS71SS

Key Features

- Double Hook

Finishes Available

SS

Standards

ZAS72
Single Coat Hook

Product Codes
- ZAS72SS

Key Features
- Single Hook

Finishes Available

SS

Standards

ZAS73
Hat & Coat Hook

Product Codes
- ZAS73SS

Key Features
- Single Hook

Finishes Available

SS

Standards

ZAS74

Circular Single Robe Hook

Product Codes

- ZAS74SS

Key Features

- Single Hook

Finishes Available

SS

Standards

ZAS75

SS Wall Mounted Hook
w/ Rose

Product Codes

- ZAS75SS

Key Features

- Single Hook

Finishes Available

SS

Standards

ZAS76

SS Wall Mounted Hook

Product Codes

- ZAS76SS

Key Features

- Single Hook

Finishes Available

SS

Standards

ZAS BARREL BOLTS

Product Codes

- ZAS01ASS
  150mm / 6" Barrel Bolt
- ZAS01BSS
  200mm / 8" Barrel Bolt
- ZAS01CSS
  300mm / 12" Barrel Bolt
- ZAS01DSS
  450mm / 18" Barrel Bolt
- ZAS01ESS
  600mm / 24" Barrel Bolt
- ZAS01FSS
  900mm / 36" Barrel Bolt

Standards

Finishes Available

SS



ZSS
SS & SA Signage

A range of door signage from Fire Exit signs to Letters and Numerals. For use with any of the ZOO stainless steel or aluminium ranges.

ZSN01SSS

ZSN NUMERALS (A)

Product Codes

- ZSN00ASS
- ZSN01ASS
- ZSN02ASS
- ZSN03ASS
- ZSN04ASS
- ZSN05ASS
- ZSN06ASS
- ZSN07ASS
- ZSN08ASS

Key Features

- 75mm
- Stainless Steel

Standards

Finishes Available

SS

ZSN04BSS

ZSN NUMERALS (B)

Product Codes

- ZSN00BSS
- ZSN01BSS
- ZSN02BSS
- ZSN03BSS
- ZSN04BSS
- ZSN05BSS
- ZSN06BSS
- ZSN07BSS
- ZSN08BSS

Key Features

- 102mm
- Stainless Steel

Standards

Finishes Available

SS

ZSNASS

ZSN LETTERS

Product Codes

- ZSNASS
- ZSNBSS
- ZSNCSS
- ZSNDSS
- ZSNESS
- ZSNFSS
- ZSNGSS

Key Features

- 102mm
- Stainless Steel

Standards

Finishes Available

SS

ZSS01 / ZSA01

Male Sex Symbol

Product Codes

- ZSS01SS
- ZSS01PS
- ZSA01SA

Standards

Key Features

- 76mm dia.

Finishes Available

SS PS SA

ZSS02 / ZSA02

Female Sex Symbol

Product Codes

- ZSS02SS
- ZSS02PS
- ZSA02SA

Standards

Key Features

- 76mm dia.

Finishes Available

SS PS SA

ZSS03 / ZSA03

Unisex Sex Symbol

Product Codes

- ZSS03SS
- ZSS03PS
- ZSA03SA

Standards

Key Features

- 76mm dia.

Finishes Available

SS PS SA

ZSS04 / ZSA04

Shower Symbol

Product Codes

- ZSS04SS
- ZSS04PS
- ZSA04SA

Standards

Key Features

- 76mm dia.

Finishes Available

SS PS SA

ZSS07 / ZSA07

Disabled Facilities Symbol

Product Codes

- ZSS07SS
- ZSS07PS
- ZSA07SA

Standards

Key Features

- 76mm dia.

Finishes Available

SS PS SA

ZSS08 / ZSA08

Baby Change Symbol

Product Codes

- ZSS08SS
- ZSS08PS
- ZSA08SA

Standards

Key Features

- 76mm dia.

Finishes Available

SS PS SA

ZSAS9SS

ZSS10PS

ZSA11SA

ZSS12SS

ZSS / ZSA SIGNAGE

Product Codes

- ZSS09SS
- ZSS09PS
- ZSA09SA
  Fire Door Keep Shut
- ZSS10SS
- ZSS10PS
- ZSA10SA
  Fire Door Keep Locked
- ZSS11SS
- ZSS11PS
- ZSA11SA
  Fire Door Keep Clear
- ZSS12SS
- ZSS12PS
- ZSA12SA
  Automatic Fire Door Keep Clear

Standards

Key Features

- 76mm dia.

Finishes Available

SS PS SA

PRECISION
ARCHITECTURAL
HARDWARE

VIER

The Vier range has been designed as a high quality solution to meet the exacting needs of Architects, Specifiers, Contractors and Clients.

vier
precision design



Product Displayed : VS070

VIEW THE FULL RANGE FROM PG. 004 OR
CONTACT US TODAY FOR MORE INFORMATION



FULTON & BRAY

Finest Brassware

The F&B range delivers classic designs with the aesthetics of traditional hand-crafted products, with a high level of technical detail and manufacturing.

FB200 / FB200R

Oval Mortice Knob

Product Codes

- FB200
- FB200CP
- FB200SC
- FB200R
- FB200RCP
- FB200RSC

Finishes Available

PB CP SC

Key Features

- 62.5mm Rose dia.
- Grub Screw Spindle Fixing
- Rim Lock Version Available
- FB51, FB52 & FB54 to suit

FB201 / FB201R

Mushroom Mortice Knob

Product Codes

- FB201
- FB201CP
- FB201SC
- FB201R
- FB201RCP
- FB201RSC

Finishes Available

PB CP SC

Key Features

- 62.5mm Rose dia.
- Grub Screw Spindle Fixing
- Rim Lock Version Available
- FB51, FB52 & FB54 to suit

FB202 / FB202R

Ball Mortice Knob

Product Codes

- FB202
- FB202CP
- FB202SC
- FB202R
- FB202RCP
- FB202RSC

Finishes Available

PB CP SC

Key Features

- 62.5mm Rose dia.
- Grub Screw Spindle Fixing
- Rim Lock Version Available
- FB51, FB52 & FB54 to suit

FB Knob Accessories are available on Pg's. 082 - 084

NEW TO FULTON & BRAY

Built on our classic 70mm Polished Chrome Rose, the Knobs will fit perfectly modern and period homes alike. We have 3 variants of finish available including Ivory Crackle, Grey Crackle and Plain White.

FB304

Porcelain Mortice Knob

Product Codes

- FB304ICFB
- FB304GCCP
- FB304PWCP

Finishes Available

ICFB GCCP PWCP

Key Features

- 70mm Rose dia.
- Grub Screw Spindle Fixing
- FB18 & FB42 to suit

FB305

Concealed Fix Mortice Knob

Product Codes

- FB305
- FB305CP
- FB305SC
- FB305FB

Finishes Available

PB CP SC FB

Key Features

- 70mm Rose dia.
- Grub Screw Spindle Fixing
- FB18 & FB42 to suit

FB306

Ringed Mortice Knob

Product Codes

- FB306
- FB306CP
- FB306SC
- FB306FB

Finishes Available

PB CP SC FB

Key Features

- 70mm Rose dia.
- Grub Screw Spindle Fixing
- FB18 & FB42 to suit

FB307

Flower Mortice Knob

Product Codes

- FB307
- FB307CP
- FB307SC
- FB307FB

Finishes Available

PB CP SC FB

Key Features

- 70mm Rose dia.
- Grub Screw Spindle Fixing
- FB18 & FB42 to suit

FB Knob Accessories are available on Pg's. 082 - 084

FB500 / FB500R

Oval Mortice Knob

Product Codes

- FB500
- FB500CP
- FB500SC
- FB500PVDN
- FB500R
- FB500RCP
- FB500RSC
- FB500RPVDN

Finishes Available

PB CP SC PVDN

Key Features

- 60mm Rose dia.
- Grub Screw Spindle Fixing
- Rim Lock Version Available
- FB51, FB52 & FB54 to suit

FB501 / FB501R

Mushroom Mortice Knob

Product Codes

- FB501
- FB501CP
- FB501SC
- FB501R
- FB501RCP
- FB501RSC

Finishes Available

PB CP SC

Key Features

- 60mm Rose dia.
- Grub Screw Spindle Fixing
- Rim Lock Version Available
- FB51, FB52 & FB54 to suit

FB502 / FB502R

Ball Mortice Knob

Product Codes

- FB502
- FB502CP
- FB502SC
- FB502R
- FB502RCP
- FB502RSC

Finishes Available

PB CP SC

Key Features

- 60mm Rose dia.
- Grub Screw Spindle Fixing
- Rim Lock Version Available
- FB51, FB52 & FB54 to suit

FB503 / FB503R

Extended Oval Mortice Knob

Product Codes

- FB503
- FB503CP
- FB503SC
- FB503R
- FB503RCP
- FB503RSC

Finishes Available

PB CP SC

Key Features

- 60mm Rose dia.
- Grub Screw Spindle Fixing
- Rim Lock Version Available
- FB51, FB52 & FB54 to suit

FB504 / FB504R

Oval Stepped Mortice Knob

Product Codes

- FB504PVDN
- FB504RPVDN

Finishes Available

PVDN

Key Features

- 60mm Rose dia.
- Grub Screw Spindle Fixing
- Rim Lock Version Available
- FB51, FB52 & FB54 to suit

FB505

Mushroom 3 Ring Mortice Knob

Product Codes

- FB505PVDN

Finishes Available

PVDN

Key Features

- 61mm Rose dia.
- Grub Screw Spindle Fixing
- FB51, FB52 & FB54 to suit

FB Knob Accessories are available on Pg's. 082 - 084

FB300

Glass Ball Mortice Knob

Product Codes

- FB300
- FB300CP
- FB300SC
- FB300CPB
- FB300CPG
- FB300CPP

Key Features

- 70mm Rose dia.
- Grub Screw Spindle Fixing
- FB18 & FB42 to suit

Finishes Available

PB CP SC CPB CPG CPP

FB301

Facetted Glass Ball Mortice Knob

Product Codes

- FB301
- FB301CP
- FB301SC
- FB301CPB
- FB301CPG
- FB301CPP

Key Features

- 70mm Rose dia.
- Grub Screw Spindle Fixing
- FB18 & FB42 to suit

Finishes Available

PB CP SC CPB CPG CPP

FB302

Frosted Glass Ball Mortice Knob

Product Codes

- FB302CP

Key Features

- Frosted glass finish
- 70mm Rose dia.
- Grub Screw Spindle Fixing
- FB18 & FB42 to suit

Finishes Available

CP

FB400

Glass Ball Mortice Knob

Product Codes

- FB400CP
- FB400CPA
- FB400CPB
- FB400CPP
- FB400CPBL
- FB400CPWH

Finishes Available

CP CPA CPB CPP CPBL CPWH

Key Features

- 60mm Rose dia.
- Grub Screw Spindle Fixing
- FB51, FB52 & FB54 to suit

FB401

Facetted Glass Ball Mortice Knob

Product Codes

- FB401CP
- FB401CPB
- FB401CPBL

Finishes Available

CP CPB CPBL

Key Features

- 60mm Rose dia.
- Grub Screw Spindle Fixing
- FB51, FB52 & FB54 to suit

FB403

Bubbled Glass Ball Mortice Knob

Product Codes

- FB403CP

Finishes Available

CP

Key Features

- Bubbled glass finish
- 60mm Rose dia.
- Grub Screw Spindle Fixing
- FB51, FB52 & FB54 to suit

FCH01

Victorian Cabinet Knob

Product Codes

- FCH01A
- FCH01ACP
- FCH01ASC
- FCH01B
- FCH01BCP
- FCH01BSC
- FCH01C
- FCH01CCP
- FCH01CSC
- FCH01D
- FCH01DCP
- FCH01DSC

Key Features

- 25mm Dia. (A)
- 32mm Dia. (B)
- 38mm Dia. (C)
- 45mm Dia. (D)

Standards

Finishes Available

PB CP SC

FCH02

Glass Ball Cabinet Knob

Product Codes

- FCH02ACP
- FCH02ACPB
- FCH02ACPG
- FCH02ACPP
- FCH02ACPBL
- FCH02ACPWH
- FCH02BCP
- FCH02BCPB
- FCH02BCPG
- FCH02BCPP
- FCH02BCPBL
- FCH02BCPWH

Key Features

- 25mm Dia. (A)
- 30mm Dia. (B)

Finishes Available

CP CPB CPG
CPP CPBL CPWH

FCH03

Facetted Glass Ball Cabinet Knob

Product Codes

- FCH03ACP
- FCH03ACPB
- FCH03ACPG
- FCH03ACPP
- FCH03ACPBL
- FCH03BCP
- FCH03BCPB
- FCH03BCPG
- FCH03BCPP
- FCH03BCPBL

Key Features

- 25mm Dia. (A)
- 30mm Dia. (B)

Finishes Available

CP CPB CPG
CPP CPBL

FCH04

Frosted Glass Ball Cabinet Knob

Product Codes

- FCH04ACP
- FCH04BCP

Key Features

- 25mm Dia. (A)
- 32mm Dia. (B)

Finishes Available

CP

FCH05

Cupboard Knob

Product Codes

- FCH05ACP
- FCH05ASC
- FCH05APVDN
- FCH05CCP
- FCH05CSC
- FCH05CPVDN

Key Features

- 32mm Dia. (A)
- 38mm Dia. (C)

Finishes Available

CP SC PVDN

OXFORD LEVERS ON BACKPLATE

Product Codes

- FB011
- FB011CP
- FB011SC
  Oxford Lever - Lock Backplate
- FB011EP
- FB011EPCP
- FB011EPSC
  Oxford Lever - Euro Backplate
- FB012
- FB012CP
- FB012SC
  Oxford Lever - Latch Backplate
- FB013
- FB013CP
- FB013SC
  Oxford Lever - Bath' Backplate

Key Features

- BS EN 1634-1
- Backplate Dimensions :
  42mm (w) x 170mm (h)
- 57mm Centres

Standards

Technical



Finishes Available

PB CP SC

ARUNDEL LEVERS ON BACKPLATE

Product Codes

- FB021
- FB021CP
- FB021SC
  Arundel Lever - Lock Backplate
- FB021EP
- FB021EPCP
- FB021EPSC
  Arundel Lever - Euro Backplate
- FB022
- FB022CP
- FB022SC
  Arundel Lever - Latch Backplate
- FB023
- FB023CP
- FB023SC
  Arundel Lever - Bath' Backplate

Key Features

- BS EN 1634-1
- Backplate Dimensions :
  42mm (w) x 175mm (h)
- 57mm Centres

Standards

Technical



Finishes Available

PB CP SC

ARUNDEL LEVERS ON BACKPLATE

Product Codes

- FB031
- FB031CP
- FB031SC

Arundel Lever - Lock Backplate

- FB031EP
- FB031EPCP
- FB031EPSC

Arundel Lever - Euro Backplate

- FB032
- FB032CP
- FB032SC

Arundel Lever - Latch Backplate

- FB033
- FB033CP
- FB033SC

Arundel Lever - Bath' Backplate

- FB031EP72
- FB031EPCP72
- FB031EPSC72

Arundel Lever - Lock Backplate 72mm c/c

- FB03378
- FB033CP78
- FB033SC78

Arundel Lever - Bath' Backplate 78mm c/c

Key Features

- BS EN 1634-1
- Backplate Dimensions : 42mm (w) x 245mm (h)

Standards

Technical



Finishes Available

PB CP SC

LINCOLN LEVERS ON BACKPLATE

Product Codes

- FB041SBPB
- FB041SCCP
  Lincoln Lever - Lock Backplate
- FB041EPSBPB
- FB041EPSCCP
  Lincoln Lever - Euro Backplate
- FB042SBPB
- FB042SCCP
  Lincoln Lever - Latch Backplate
- FB043SBPB
- FB043SCCP
  Lincoln Lever - Bath' Backplate

Key Features

- BS EN 1634-1
- Backplate Dimensions : 48mm (w) x 180mm (h)
- 57mm Centres

Standards

Technical



Finishes Available

SBPB SCCP

WINCHESTER LEVERS ON BACKPLATE

Product Codes

- FB051SBPB
- FB051FB
  Winchester Lever - Lock Backplate
- FB051EPSBPB
- FB051EPFB
  Winchester Lever - Euro Backplate
- FB052SBPB
- FB052FB
  Winchester Lever - Latch Backplate
- FB053SBPB
- FB053FB
  Winchester Lever - Bath' Backplate

Key Features

- BS EN 1634-1
- Backplate Dimensions : 48mm (w) x 180mm (h)
- 57mm Centres

Standards

Technical



Finishes Available

SBPB FB

FB030

Lever on Rose

Product Codes

- FB030

Key Features

- Certifire 30/60 Tested (Timber)
- Complies with design requirements of BS8300
- Sprung Rose

Finishes Available

PB

Standards

Technical



FB001PB

FB002CP

FB ESCUTCHEONS

Product Codes

- FB001
- FB001CP
- FB001SC

Euro Profile

- FB002
- FB002CP
- FB002SC

Standard Profile

- FB004
- FB004CP
- FB004SC

Turn & Release - 5mm Spindle

- FB005
- FB005CP
- FB005SC

Turn & Release - 8mm Spindle

Key Features

- BS EN 1634-1
- 50mm Screw on Rose dia.

Standards

Technical

Finishes Available

PB CP SC

FB10

Victorian Escutcheon

Product Codes

- FB10
- FB10CP
- FB10SC

Key Features

- BS EN 1634-1
- 32mm Escutcheon dia.

Standards

Finishes Available

PB CP SC

FB11

Covered Victorian Escutcheon

Product Codes

- FB11
- FB11CP
- FB11SC

Key Features

- BS EN 1634-1
- 32mm Escutcheon dia.

Standards

Finishes Available

PB CP SC

FB40

Oval Thumb Turn - Rack Bolt

Product Codes

- FB40
- FB40CP
- FB40SC

Key Features

- BS EN 1634-1
- 38mm Escutcheon dia.
- For use with Rack Bolt

Standards

Finishes Available

PB CP SC

FB41

WC Turn & Release

Product Codes

- FB41
- FB41CP
- FB41SC

Key Features

- BS EN 1634-1
- 36mm Escutcheon dia.
- 5mm Spindle

Standards

Finishes Available

PB CP SC

FB42

WC Turn & Release

Product Codes

- FB42
- FB42CP
- FB42SC

Key Features

- BS EN 1634-1
- 42mm Escutcheon dia.
- 5mm Spindle

Standards

Finishes Available

PB CP SC

FB18

Standard Profile Escutcheon

Product Codes

- FB18
- FB18CP
- FB18SC

Key Features

- 45mm Escutcheon dia.

Finishes Available

PB CP SC

FB Mortice Knobs are available on Pg's. 069 - 075

FB51

Euro Profile Escutcheon

Product Codes

- FB51
- FB51CP
- FB51SC
- FB51PVDN

Key Features

- 45mm Escutcheon dia.

Finishes Available

PB CP SC PVDN

FB52

Standard Profile Escutcheon

Product Codes

- FB52
- FB52CP
- FB52SC
- FB52PVDN

Key Features

- 45mm Escutcheon dia.

Finishes Available

PB CP SC PVDN

FB54

WC Turn & Release

Product Codes

- FB54
- FB54CP
- FB54SC
- FB54PVDN

Key Features

- 40mm Escutcheon dia.

Finishes Available

PB CP SC PVDN

FB30

Heavy Duty Sash Lift

Product Codes

- FB30
- FB30CP
- FB30SC
- FB30PVDN

Finishes Available

PB CP SC PVDN

Key Features

- Heavy Duty
- 3 Screw Fixings

FB33

Standard Sash Lift

Product Codes

- FB33
- FB33CP
- FB33SC
- FB33PVDN

Finishes Available

PB CP SC PVDN

Key Features

- 2 Screw Fixings

FB32

Brighton Pattern Sash Fastener

Product Codes

- FB32
- FB32CP
- FB32SC
- FB32PVDN

Finishes Available

PB CP SC PVDN

Key Features

- Spring Loaded Screw Down Arm

FB Window Fittings are available on Pg's. 085 - 087

FB7 / FB7LCK

Fitch Fastener (available w/ Lock)

Product Codes

- FB7
- FB7CP
- FB7SC
- FB7PVDN
- FB7LCK
- FB7CPLCK
- FB7SCLCK
- FB7PVDNLCK

Finishes Available

PB CP SC PVDN

Key Features

- Narrow Style Fitch Fastener

FB31

29mm Roller Sash Stop

Product Codes

- FB31
- FB31CP
- FB31SC
- FB31PVDN
- FB31FB

Finishes Available

PB CP SC PVDN FB

Key Features

- 29mm Stop
- Solid Brass Socket Screw
- Hex Key Fixing

FB319

19mm Roller Sash Stop

Product Codes

- FB319
- FB319CP
- FB319SC
- FB319PVDN
- FB319FB

Finishes Available

PB CP SC PVDN FB

Key Features

- 19mm Stop
- Solid Brass Socket Screw
- Hex Key Fixing

FBK01 / FBK02 / FBK03 / FBK04

F&B Keys

Product Codes

- FBK01CP - 4mm Hex Key for Roller Sash Stops
- FBK02CP - 35mm Rack Bolt Key
- FBK03CP - 65mm Rack Bolt Key
- FBK04CP - 2.5mm Hex Key for Fitch Fastener

Key Features

- For use with Roller Sash Stops

Finishes Available

CP

FBBP01 / FBBP01R

Brass Ball Bearing Axle Pulleys

Product Codes

- FBBP01
- FBBP01CP
- FBBP01SC
- FBBP01R
- FBBP01RCP
- FBBP01RSC

Finishes Available

PB CP SC

Key Features

- 1 3/4" Wheel
- 2 Face-fixing points

FBBP02 / FBBP02R

Brass Ball Bearing Axle Pulleys

Product Codes

- FBBP02
- FBBP02CP
- FBBP02SC
- FBBP02R
- FBBP02RCP
- FBBP02RSC

Finishes Available

PB CP SC

Key Features

- 2 1/4" Wheel
- 4 Face-fixing points

FB01

Sunk Slide Flush Bolt

Product Codes

- FB01
- FB01CP
- FB01SC

Key Features

- 100 x 17mm
- Sunk Slide function

Finishes Available

PB CP SC

FB LEVER ACTION FLUSH BOLTS

Product Codes

- FB02SS
- FB02CP
- FB02SC
  20 x 150mm Lever Action Flush Bolt
- FB03
- FB03CP
- FB03SC
  20 x 200mm Lever Action Flush Bolt
- FB04
- FB04CP
- FB04SC
  20 x 250mm Lever Action Flush Bolt
- FB05
- FB05CP
- FB05SC
  20 x 305mm Lever Action Flush Bolt

Key Features

- 150 x 20mm (FB02)
- 200 x 20mm (FB03)
- 250 x 20mm (FB04)
- 305 x 20mm (FB05)
- Lever Action function

Finishes Available

PB CP SC

ADDITIONAL ACCESSORIES

SP45

Spare Strike Plates for FB02

Product Codes

- SP45

FB13

Easy-Clean Dust Socket

Product Codes

- FB13
- FB13CP
- FB13SC

Key Features

- BS EN 1634-1
- Easy to clean
- 62 x 19mm

Standards

Finishes Available

PB CP SC

FB14

Dust Excluding Socket for Flush Bolts - Concrete

Product Codes

- FB14
- FB14CP
- FB14SC

Key Features

- BS EN 1634-1
- 20 x 38mm

Standards

Finishes Available

PB CP SC

FB14A

Dust Excluding Socket for Flush Bolts - Wood

Product Codes

- FB14A
- FB14ACP
- FB14ASC

Key Features

- BS EN 1634-1
- 20 x 38mm

Standards

Finishes Available

PB CP SC

FB16

Cylinder Door Stop w/ Rose

Product Codes

- FB16
- FB16CP
- FB16SC
- FB16PN
- FB16SN

Finishes Available

PB CP SC PN SN

Key Features

- 87mm Projection
- 54mm Rose dia.

FBD300BPB

FBD PULL HANDLES

Product Codes

- FBD225B
  19 x 225mm 'D' Pull Handle
- FBD300B
  19 x 300mm 'D' Pull Handle
- FBD425B
  19 x 425mm 'D' Pull Handle

Standards

Finishes Available

PB

Key Features

- BS EN 1634-1
- 19mm dia.
- Roses Included

FB106

Pull Handle on Backplate

Product Codes

- FB106
- FB106CP

Key Features

- Backplate Dimensions : 65mm (w) x 382mm (h)

Finishes Available

PB CP

FB107

Finger Plate

Product Codes

- FB107
- FB107CP

Key Features

- Backplate Dimensions : 65mm (w) x 382mm (h)

Finishes Available

PB CP



ZAB
Brass Accessories

A range of traditional forged and cast Brass Accessory products. Our Levers and Mortice & Rim Knobs are now part of our ever expanding Fulton & Bray range.

ZAB06

Door Stop - Floor Mounted - Oval

Product Codes

- ZAB06
- ZAB06CP
- ZAB06SC

Standards

Key Features

- 50mm dia.

Finishes Available

PB CP SC

ZAB06B

Door Stop - Floor Mounted - Budget Oval

Product Codes

- ZAB06B
- ZAB06BCP
- ZAB06BSC

Standards

Key Features

- 50mm dia.

Finishes Available

PB CP SC

ZAB85

Door Stop - Floor Mounted - Round

Product Codes

- ZAB85
- ZAB85CP
- ZAB85SC

Standards

Key Features

- 50 x 28mm

Finishes Available

PB CP SC

ZAB07

Door Stop - Solid Projection
- Cylinder with Rose

Product Codes

- ZAB07
- ZAB07CP
- ZAB07SC

Standards

Key Features

- 70mm Cylinder

Finishes Available

PB CP SC

ZAB07B

Door Stop - Hollow Projection
- Budget Cylinder with Rose

Product Codes

- ZAB07B
- ZAB07BCP
- ZAB07BSC

Standards

Key Features

- 70mm Cylinder

Finishes Available

PB CP SC

ZAB08

Door Stop - Solid Projection
- Cylinder without Rose

Product Codes

- ZAB08
- ZAB08CP
- ZAB08SC

Standards

Key Features

- 70mm Cylinder

Finishes Available

PB CP SC

ZAB09

Door Stop - Solid Projection
- Cylinder with Rose

Product Codes

- ZAB09
- ZAB09CP
- ZAB09SC

Standards

Key Features

- 76mm Cylinder

Finishes Available

PB CP SC

ZAB09B

Door Stop - Hollow Projection
- Budget Cylinder with Rose

Product Codes

- ZAB09B
- ZAB09BCP
- ZAB09BSC

Standards

Key Features

- 76mm Cylinder

Finishes Available

PB CP SC

ZAB12

Door Stop - Solid Projection
- Cylinder without Rose

Product Codes

- ZAB12
- ZAB12CP
- ZAB12SC

Standards

Key Features

- 105mm Cylinder

Finishes Available

PB CP SC

ZAB61SC

ZAB63CP

ZAB65PB

ZAB CABIN HOOKS

Product Codes

- ZAB60
- ZAB60CP
- ZAB60SC
  75mm / 3" Cabin Hook
  Lightweight
- ZAB61
- ZAB61CP
- ZAB61SC
  100mm / 4" Cabin Hook
  Lightweight
- ZAB62
- ZAB62CP
- ZAB62SC
  150mm / 6" Cabin Hook
  Heavyweight
- ZAB63
- ZAB63CP
- ZAB63SC
  200mm / 8" Cabin Hook
  Heavyweight
- ZAB64
- ZAB64CP
- ZAB64SC
  250mm / 10" Cabin Hook
  Heavyweight
- ZAB65
- ZAB65CP
- ZAB65SC
  300mm / 12" Cabin Hook
  Heavyweight

Key Features

- BS EN 1634-1

Standards

FIRE DOOR 30 60

Finishes Available

PB CP SC

ZAB15

Heavy Duty Door Chain

Product Codes

- ZAB15
- ZAB15CP
- ZAB15SC

Key Features

- BS EN 1634-1
- Chain Length : 200mm

Standards

Finishes Available

PB CP SC

ZAB70

Handrail Bracket (Heavyweight)

Product Codes

- ZAB70
- ZAB70CP
- ZAB70SC

Key Features

- BS EN 1634-1
- 64mm / 2.5"

Standards

Finishes Available

PB CP SC

ZAB83

Victorian Bow Handle

Product Codes

- ZAB83
- ZAB83CP
- ZAB83SC

Key Features

- BS EN 1634-1
- 150mm / 6"

Standards

Finishes Available

PB CP SC

ZAB79

Hat & Coat Hook - Heavyweight

Product Codes

- ZAB79
- ZAB79CP
- ZAB79SC

Key Features

- BS EN 1634-1
- 125mm / 5"

Standards

Finishes Available

PB CP SC

ZAB80

Hat & Coat Hook

Product Codes

- ZAB80
- ZAB80CP
- ZAB80SC

Key Features

- BS EN 1634-1
- 125mm / 5"

Standards

Finishes Available

PB CP SC

ZAB81

Single Robe Hook

Product Codes

- ZAB81
- ZAB81CP
- ZAB81SC

Key Features

- BS EN 1634-1
- 40mm

Standards

Finishes Available

PB CP SC

ZAB82

Double Robe Hook

Product Codes

- ZAB82
- ZAB82CP
- ZAB82SC

Key Features

- BS EN 1634-1
- 51mm

Standards

Finishes Available

PB CP SC



ZAB100A

ZAB100BCP



ZAB100CFB

ZAB SURFACE BOLTS

Product Codes

- ZAB100A
- ZAB100ACP
- ZAB100ASC
- ZAB100AFB

102mm Cylinder

- ZAB100B
- ZAB100BCP
- ZAB100BSC
- ZAB100BFB

150mm Cylinder

- ZAB100C
- ZAB100CCP
- ZAB100CSC
- ZAB100CFB

202mm Cylinder

Key Features

- BS EN 1634-1
- 102mm Cylinder
- 150mm Cylinder
- 202mm Cylinder

Standards

Finishes Available

PB CP SC FB

F&B

FULTON & BRAY

FINEST BRASSWARE

- CLASSIC HARDWARE -

— Brass & Glassware —

FB500 / 500R
Oval Mortice Knobs

FB13
Dust Socket

FBD225B / 300B / 425B
'D' Pull Handles

FB51 / 52
Key Escutcheons

FB011 / 011EP / 012 / 013
Levers on Backplate

FB16
Door Stop

FB400
Glass Mortice Knobs

FB01
Flush Bolt

FB106 / 107
Pull Handle & Finger Plate

Designed to deliver high-end products at competitive prices in today's economic market, Fulton & Bray provides an array of door hardware and accessories ideal for period and contemporary properties alike.

ZAA
Architectural Aluminium

The ZAA range contains aluminium with a satin anodised finish. All Levers on Rose are tested to BS EN 1906 Grade 3 & comply to the design requirement of BS8300.

ZAA030

RTD Lever - Screw on Rose

Product Codes

- ZAA030SA

Key Features

- BS EN 1906 : 2010 Grade 3
- BS EN 1670 : 2007 Grade 5 (Corrosion)
- Tested to 200,000 cycles
- Grade 3 BS8300
- Complies to design requirements of BS8300
- Sprung Rose
- Heso Spindle
- Suitable for 35 - 54mm Thickness Timber Doors

Finishes Available

SA

Standards

Technical



ZAA080

RTD Lever - Screw on Rose

Product Codes

- ZAA080SA

Key Features

- BS EN 1906 : 2010 Grade 3
- BS EN 1670 : 2007 Grade 5 (Corrosion)
- Tested to 200,000 cycles
- Grade 3 BS8300
- Complies to design requirements of BS8300
- Sprung Rose
- Heso Spindle
- Suitable for 35 - 54mm Thickness Timber Doors

Finishes Available

SA

Standards

Technical



ZAA Levers on Rose are available on Pg. 103

ZAA000SA

ZAA003SA

ZAA ESCUTCHEONS

Product Codes

- ZAA000SA
  Blank Profile
- ZAA001SA
  Euro Profile
- ZAA002SA
  Standard Profile
- ZAA003SA
  Oval Profile

Key Features

- BS EN 1634-1
- 50mm Screw on Rose dia.

Standards

Technical

Finishes Available

SA

ZAA004iSA

ZAA006iSA

ZAA TURN & RELEASE'S

Product Codes

- ZAA004SA
  Turn & Release - 5mm Spindle
- ZAA004iSA
  Turn & Release with Indicator 5mm Spindle
- ZAA006iSA
  Turn & Release - 5mm Disabled Turn with Indicator

Key Features

- BS EN 1634-1
- 50mm Screw on Rose dia.

Standards

Technical

Finishes Available

SA

RTD LEVERS ON BACKPLATE

Product Codes

- ZAA011SA
  RTD Lever on Lock Backplate
- ZAA011EPSA
  RTD Lever on Euro Backplate
- ZAA011OPSA
  RTD Lever on Oval Backplate
- ZAA012SA
  RTD Lever on Latch Backplate
- ZAA013SA
  RTD Lever on Bath' Backplate

Key Features

- 19mm Lever dia.

Finishes Available

SA

Standards

Technical



ZAA100

Facility Indicator

Product Codes

- ZAA100SA

Key Features

- BS EN 1634-1
- Suitable for use with Swing & Sliding Doors
- Reversible Function

Finishes Available

SA

Standards

ZAA Outer Plates are available on Pg's. 106 - 107

ZAAIP

Inner Plate for ZAA

Product Codes

- ZAAIPSA

Key Features

- BS EN 1906 : Grade 3
- 176 x 42mm
- 178 x 44mm - Inc. Cover Plate
- 19mm Lever dia.

Finishes Available

SA

Standards

Technical



ZAA1SA

ZAAIP COVER PLATES

Product Codes

- ZAA1SA
  Lock Cover Plate for ZAAIP
- ZAA1EPSA
  Euro Cover Plate for ZAAIP
- ZAA1OPSA
  Oval Cover Plate for ZAAIP
- ZAA2SA
  Latch Cover Plate for ZAAIP
- ZAA3SA
  Bathroom Cover Plate for ZAAIP
- ZAA1EPSA72
  Euro Lock Cover Plate for ZAAIP - 72mm c/c
- ZAA3SA78
  Bathroom Cover Plate for ZAAIP - 78mm c/c

Key Features

- For use with ZAAIP
- 178 x 44mm
- 47.5mm c/c (Euro)
- 48.5mm c/c (Oval)
- 72mm c/c (DIN Euro)
- 78mm c/c (DIN Bath)

Standards

Finishes Available

SA

ZAAILP

Inner Plate for ZAA

Product Codes

- ZAAILPSA

Key Features

- BS EN 1906 : Grade 3
- 218 x 48mm
- 220 x 50mm - Inc. Cover Plate
- 19mm Lever dia.

Finishes Available

SA

Standards

Technical



ZAA3LPSA78

ZAAILP LONG COVER PLATES

Product Codes

- ZAA1LPSA
  Lock Cover Plate for ZAAILP
- ZAA1EPLPSA
  Euro Cover Plate for ZAAILP
- ZAA1OPLPSA
  Oval Cover Plate for ZAAILP
- ZAA2LPSA
  Latch Cover Plate for ZAAILP
- ZAA3LPSA
  Bathroom Cover Plate for ZAAILP
- ZAA1EPLPSA72
  Euro Lock Cover Plate for ZAAILP - 72mm c/c
- ZAA3LPSA78
  Bathroom Cover Plate for ZAAILP - 78mm c/c

Key Features

- For use with ZAAILP
- 220 x 50mm
- 47.5mm c/c (Euro)
- 48.5mm c/c (Oval)
- 72mm c/c (DIN Euro)
- 78mm c/c (DIN Bath)

Standards

Finishes Available

SA

ZAA Inner Plates are available on Pg's. 106 - 107

ZAA60

Door Stop - Floor Mounted - Oval

Product Codes

- ZAA60SA

Key Features

- 50mm dia.

Finishes Available

SA

ZAA61

Door Stop - Cylinder without Rose

Product Codes

- ZAA61SA

Key Features

- 76mm Cylinder

Finishes Available

SA

ZAA03RSA

ZAA LEVER ACTION FLUSH BOLTS

Product Codes

- ZAA02SA
  19 x 152mm Lever Action Flush Bolt
- ZAA03SA
- ZAA03RSA
  19 x 203mm Lever Action Flush Bolt

Key Features

- ZAA03 Available in both Square & Radius Profiles

Finishes Available

SA

ZAA40CSS

ZAA FINGER PLATES

Product Codes

- ZAA40ASA
  75 x 300mm Finger Plate
- ZAA40BSA
  75 x 350mm Finger Plate
- ZAA40CSA
  75 x 475mm Finger Plate
- ZAA40DSA
  75 x 650mm Finger Plate

Key Features

- 75 x 300mm (A)
- 75 x 350mm (B)
- 75 x 475mm (C)
- 75 x 650mm (D)

Standards

FIRE DOOR 30 60

Finishes Available

SA

ZRP05SA Rose Packs for Pull Handles are also available on Pg. 111

ZAAD PULL HANDLES

Product Codes

- ZAAD150BSA
  19 x 150mm 'D' Pull Handle
- ZAAD225BSA
  19 x 225mm 'D' Pull Handle
- ZAAD300BSA
  19 x 300mm 'D' Pull Handle
- ZAAD425BSA
  19 x 425mm 'D' Pull Handle
- ZAAD600BSA
  19 x 600mm 'D' Pull Handle
- ZAAD300CSA
  22 x 300mm 'D' Pull Handle
- ZAAD425CSA
  22 x 425mm 'D' Pull Handle
- ZAAD600CSA
  22 x 600mm 'D' Pull Handle

Finishes Available

SA

Key Features

- BS EN 1634-1
- 19mm dia. (B)
- 22mm dia. (C)

Standards

ZAAD PULL HANDLES & BACK TO BACK FIXINGS

Product Codes

- ZAAD150BSABB
  19 x 150mm 'D' Pull Handle w/ Back to Back Fixings
- ZAAD225BSABB
  19 x 225mm 'D' Pull Handle w/ Back to Back Fixings
- ZAAD300BSABB
  19 x 300mm 'D' Pull Handle w/ Back to Back Fixings
- ZAAD425BSABB
  19 x 425mm 'D' Pull Handle w/ Back to Back Fixings
- ZAAD600BSABB
  19 x 600mm 'D' Pull Handle w/ Back to Back Fixings
- ZAAD300CSABB
  22 x 300mm 'D' Pull Handle w/ Back to Back Fixings
- ZAAD425CSABB
  22 x 425mm 'D' Pull Handle w/ Back to Back Fixings

Key Features

- BS EN 1634-1
- 19mm dia. (B)
- 22mm dia. (C)

Standards

Finishes Available

SA

ADDITIONAL ACCESSORIES

ZFP05
Spare Fixing Pack suitable for ZAA Levers on Rose

Product Codes
- ZFP05

ZFP08
Spare Fixing Pack suitable for ZAA Levers on Backplate

Product Codes
- ZFP08

ZRP05
Rose Pack suitable for 19mm Aluminium Pull Handles

Product Codes
- ZRP05SA

ZCA
Contract Aluminium

The ZCA range, a collection of Contract Aluminium Levers on both Rose and Face Fixed Backplates. A range of Escutcheons and Pull Handles are also available.

ZCA030

RTD Lever on Push on Rose

Product Codes

- ZCA030SA

Key Features

- BS EN 1634-1
- Complies with the design requirements of BS8300
- Sprung Rose
- Suitable for 35 - 54mm Thickness Timber Doors

Finishes Available

SA

Standards

Technical



ZAA001SA

ZAA002SA

ZCA ESCUTCHEONS

Product Codes

- ZCA000SA
  Blank Profile
- ZCA001SA
  Euro Profile
- ZCA002SA
  Standard Profile
- ZCA003SA
  Oval Profile
- ZAA004iSA
  Turn & Release with Indicator 5mm Spindle

Key Features

- BS EN 1634-1
- 52mm Push on Rose dia.

Standards

Technical

Finishes Available

SA

LEVERS ON BACKPLATE

Product Codes

- ZCA21SA
  Lever on Lock Backplate
- ZCA21EPSA
  Lever on Euro Backplate
- ZCA21OPSA
  Lever on Oval Backplate
- ZCA22SA
  Lever on Latch Backplate
- ZCA23SA
  Lever on Bathroom Backplate

Key Features

- BS EN 1634-1
- Lever Circlip fixed to Backplate

Finishes Available

SA

Standards

Technical



ZCAD (B) PULL HANDLES

Product Codes

- ZCAD300BSA
  19 x 300mm 'D' Pull Handle
- ZCAD425BSA
  19 x 425mm 'D' Pull Handle

Key Features

- BS EN 1634-1
- 19mm dia.

Standards

Finishes Available

SA

ADDITIONAL ACCESSORIES

ZRP04

Rose Pack for SA Pull Handles

Product Codes

- ZRP04SA

BS8300 - DOCUMENT 'M'

The Disability Discrimination Act

BS8300 : 2001

The DDA is an Act of Parliament dealing with Human Rights Legislation, making it unlawful to discriminate against anyone on the grounds of any disability whether permanent or temporary.

BS8300 : 2001 "Design of buildings to meet the needs of disabled people - Code of Practice". This provides guidance on good practice in the design of buildings so that access is convenient for all.

Approved Document 'M' (Doc M) of the building regulations (England and Wales), requires "that reasonable provision shall be made for people to gain access to and use the building and its facilities".

Lever Handles

Lever Handles should be "of the return to door type". They do not have to be round bar. They should not have sharp edges or immediate changes of direction. They should be securely fixed to door by bolt through fixings and with minimum dimensions as stated in the diagram.

Pull Handles

Pull Handles should be bolt fixed to door and have roses to aid the partially sighted. The upper fixing should be a minimum of 1400mm above floor level.

Kick Plates

To prevent damage to doors from wheelchairs, kick plates should be at least 400mm high.

Tonal Contrast

To assist the partially sighted, door furniture should contrast with the door, by a minimum of 20 points. This so called "light reflectance value" is measured on a scale of 0 to 100 with pure black being 0 and pure white 100. Hardware and Door manufacturers should be able to give a value from 0 to 100 of their products.

Cold to the Touch

External Handles should not be cold to the touch. Nylon, wooded and powder coated handles or handrails will satisfy this, but not metal versions.

ZPZ
Designer Levers

A range of Designer Zinc Levers on Screw On Roses and Backplates. All products are chrome plated to achieve long performance & good aesthetic appeal.

ZPZ010

Assisi Lever - Screw on Rose

Product Codes

- ZPZ010CP
- ZPZ010SC

Key Features

- BS EN 1634-1
- Sprung Rose
- Bolt through fixings included
- Suitable for 35 - 54mm Thickness Timber Doors

Finishes Available

CP SC

Standards

Technical



ZPZ020

Florence Lever - Screw on Rose

Product Codes

- ZPZ020CP
- ZPZ020SC

Key Features

- BS EN 1634-1
- Sprung Rose
- Bolt through fixings included
- Suitable for 35 - 54mm Thickness Timber Doors

Finishes Available

CP SC

Standards

Technical



ZPZ Escutcheons are available on Pg. 123

ZPZ030

Milan Lever - Screw on Rose

Product Codes

- ZPZ030CPSS
- ZPZ030CPMB

Key Features

- BS EN 1634-1
- Sprung Rose
- Bolt through fixings included
- Suitable for 35 - 54mm Thickness Timber Doors

Finishes Available

SCCP CPMB

Standards

Technical



ZPZ050

Siena Lever - Screw on Rose

Product Codes

- ZPZ050CP
- ZPZ050SC

Key Features

- BS EN 1634-1
- Sprung Rose
- Bolt through fixings included
- Suitable for 35 - 54mm Thickness Timber Doors

Finishes Available

CP SC

Standards

Technical



ZPZ060

Verona Lever - Screw on Rose

Product Codes

- ZPZ060CP
- ZPZ060SC

Key Features

- BS EN 1634-1
- Sprung Rose
- Bolt through fixings included
- Suitable for 35 - 54mm Thickness Timber Doors

Finishes Available

CP SC

Standards

Technical



ZPZ070

Venice Lever - Screw on Rose

Product Codes

- ZPZ070CP
- ZPZ070SC
- ZPZ070SCCP

Key Features

- BS EN 1634-1
- Sprung Rose
- Bolt through fixings included
- Suitable for 35 - 54mm Thickness Timber Doors

Finishes Available

CP SC SCCP

Standards

Technical



ZPZ Escutcheons are available on Pg. 123

ZPZ080

Amalfi Lever - Screw on Rose

Product Codes

- ZPZ080CP
- ZPZ080SC
- ZPZ080SCCP

Key Features

- BS EN 1634-1
- Sprung Rose
- Bolt through fixings included
- Suitable for 35 - 54mm Thickness Timber Doors

Finishes Available

CP SC SCCP

Standards

Technical



ZPZ090

Lucca Lever - Screw on Rose

Product Codes

- ZPZ090CP
- ZPZ090SC

Key Features

- BS EN 1634-1
- Sprung Rose
- Bolt through fixings included
- Suitable for 35 - 54mm Thickness Timber Doors

Finishes Available

CP SC

Standards

Technical



ZPZ100

Adria Lever - Screw on Rose

Product Codes

- ZPZ100SCCP

Key Features

- BS EN 1634-1
- Sprung Rose
- Bolt through fixings included
- Suitable for 35 - 54mm Thickness Timber Doors

Finishes Available

SCCP

Standards

Technical



ZPZ110

Atlanta Lever - Screw on Rose

Product Codes

- ZPZ110CPSN

Key Features

- BS EN 1634-1
- Sprung Rose
- Bolt through fixings included
- Suitable for 35 - 54mm Thickness Timber Doors

Finishes Available

CPSN

Standards

Technical



ZPZ Escutcheons are available on Pg. 123

ZPZ120

Venus Lever - Screw on Rose

Product Codes

- ZPZ120CPSS

Key Features

- BS EN 1634-1
- Sprung Rose
- Bolt through fixings included
- Suitable for 35 - 54mm Thickness Timber Doors

Finishes Available

CPSS

Standards

Technical



ZPZ130

Saturn Lever - Screw on Rose

Product Codes

- ZPZ130SCCP

Key Features

- BS EN 1634-1
- Sprung Rose
- Bolt through fixings included
- Suitable for 35 - 54mm Thickness Timber Doors

Finishes Available

SCCP

ZPZ140

Olympus Lever - Screw on Rose

Product Codes

- ZPZ140SCCP

Key Features

- BS EN 1634-1
- Sprung Rose
- Bolt through fixings included
- Suitable for 35 - 54mm Thickness Timber Doors

Finishes Available

SCCP

ZPZ001CP

ZPZ002SC

ZPZ004CP

ZPZ ESCUTCHEONS

Product Codes

- ZPZ001CP
- ZPZ001SC
  Euro Profile
- ZPZ002CP
- ZPZ002SC
  Standard Profile
- ZPZ004CP
- ZPZ004SC
  Turn & Release - 5mm Spindle

Key Features

- 50mm Screw on Rose dia.
- BS EN 1634-1

Standards

Technical

Finishes Available

ADDITIONAL ACCESSORIES

ZFP02

Spare Fixing Pack for ZPZ Levers

Product Codes

- ZFP02

VENICE LEVERS ON BACKPLATE

Product Codes

- ZPZ071CP
- ZPZ071SC
  Venice Lever on Lock Backplate
- ZPZ071EPCP
- ZPZ071EPSC
  Venice Lever on Euro Backplate
- ZPZ072CP
- ZPZ072SC
  Venice Lever on Latch Backplate
- ZPZ073CP
- ZPZ073SC
  Venice Lever on Bath' Backplate

Key Features

- Bolt Through Fixings
- BS EN 1634-1

Finishes Available

CP SC

Standards

Technical



AMALFI LEVERS ON BACKPLATE

Product Codes

- ZPZ081CP
- ZPZ081SC
- ZPZ081SCCP
  Amalfi Lever on Lock Backplate
- ZPZ081EPCP
- ZPZ081EPSC
- ZPZ081EPSCCP
  Amalfi Lever on Euro Backplate
- ZPZ082CP
- ZPZ082SC
- ZPZ082SCCP
  Amalfi Lever on Latch Backplate
- ZPZ083CP
- ZPZ083SC
- ZPZ083SCCP
  Amalfi Lever on Bath' Backplate

Key Features

- Bolt Through Fixings
- BS EN 1634-1

Finishes Available

CP SC SCCP

Standards

Technical



Product Certification for Passive Fire Protection.

The main benefit of Product Certification for Passive Fire Protection is giving the regulator, specifier, customer and end-user confidence with regards to the stated performance of the product and provides an informed choice when purchasing or selecting the product.

CE Marking

CE Marking is the easiest and safest route to providing compliance with the latest UK Construction Products Regulations for hardware used on fire, smoke and escape doors.

CE Marking indicates that the product has been third party performance / fire tested where applicable and is produced in a factory which has satisfied production control systems. All of these have been assessed by an authorised certification organisation.

FIRE DOOR 30/60

certifire
30 & 60 minutes

Certifire

Certifire is an independent third party certification scheme that assures performance, quality, reliability and traceability of fire protection products. Recognised by regulatory authorities worldwide, it is an internationally respected mark of fire safety and one of the most authoritative in the industry.

ZCZ
Designer Levers

A range of Designer Zinc Levers on Push On Roses and Backplates. All products are chrome plated to achieve long performance & good aesthetic appeal.

ZCZ010

Leon Lever - Push on Rose

Product Codes

- ZCZ010CP
- ZCZ010SC

Key Features

- BS EN 1634-1
- Sprung Rose
- Bolt through fixings included
- Suitable for 35 - 54mm Thickness Timber Doors

Finishes Available

CP SC

Standards

Technical



ZCZ020

Santiago Lever - Push on Rose

Product Codes

- ZCZ020CP
- ZCZ020SC

Key Features

- BS EN 1634-1
- Sprung Rose
- Bolt through fixings included
- Suitable for 35 - 54mm Thickness Timber Doors

Finishes Available

CP SC

Standards

Technical



ZCZ030

Toledo Lever - Push on Rose

Product Codes

- ZCZ030CP
- ZCZ030SC

Key Features

- BS EN 1634-1
- Sprung Rose
- Bolt through fixings included
- Suitable for 35 - 54mm Thickness Timber Doors

Finishes Available

CP SC

Standards

Technical



ZCZ002CP

ZCZ004SC

ZCZ ESCUTCHEONS

Product Codes

- ZPZ001CP
- ZPZ001SC
  Euro Profile
- ZPZ002CP
- ZPZ002SC
  Standard Profile
- ZPZ004CP
- ZPZ004SC
  Turn & Release - 5mm Spindle

Key Features

- 52mm Rose dia.
- Usable with Bolt Through Fixings

Standards

Technical

Finishes Available

CP SC

LEON LEVERS ON BACKPLATE

Product Codes

- ZCZ011CP
- ZCZ011SC
  Leon Lever on Lock Backplate
- ZCZ011EPCP
- ZCZ011EPSC
  Leon Lever on Euro Backplate
- ZCZ012CP
- ZCZ012SC
  Leon Lever on Latch Backplate
- ZCZ013CP
- ZCZ013SC
  Leon Lever on Bathroom Backplate

Key Features

- BS EN 1634-1
- Face Fix Backplate

Finishes Available

CP SC

Standards

Technical



TOLEDO LEVERS ON BACKPLATE

Product Codes

- ZCZ031CP
- ZCZ031SC
  Toledo Lever on Lock Backplate
- ZCZ031EPCP
- ZCZ031EPSC
  Toledo Lever on Euro Backplate
- ZCZ032CP
- ZCZ032SC
  Toledo Lever on Latch Backplate
- ZCZ033CP
- ZCZ033SC
  Toledo Lever on Bathroom Backplate

Key Features

- BS EN 1634-1
- Face Fix Backplate

Finishes Available

CP SC

Standards

Technical



ADDITIONAL ACCESSORIES

SP20

Spare ZCZ Push On Outer Rose Cover

Product Codes

- SP20CP
- SP20SC

Finishes Available

ZSP104

Spare Turn & Release to suit ZCZ Backplates

Product Codes

- ZSP104CP
- ZSP104SC

Finishes Available

Environmental Awareness

Zoo Hardware Ltd is committed to leading the industry in minimising the impact of its activities on the environment. Waste and toxic emissions are contributing to climate change, and we strive to do our best to prevent damage to our environment. In a bid to achieve this, we have created a list of key points from our strategy of which we wish to accomplish.

Waste

- Minimise waste by evaluating operations and ensuring they are as efficient as possible.

Emissions

- Minimise toxic emissions through the selection and use of its fleet and the source of its power requirement.

Recycling

- Actively promote recycling both internally and amongst customers and suppliers.

Distribution

- Source and promote a product range to minimise the environmental impact of both production and distribution.

Legislation

- Meet or exceed all the environmental legislation that relates to the Company.

Accreditation

- Use an accredited program to offset the greenhouse gas emissions generated by our activities.



PRO
Project Range

The Project range is made from a zinc base material with Polished and Satin Chrome finishes throughout. The collection features three classic designs.

PR011CP

PR0 LEVERS ON BACKPLATE

Product Codes

- PR011CP
- PR011SC
  Lever on Lock Backplate
- PR011EPCP
- PR011EPSC
  Lever on Euro Backplate
- PR011OPCP
- PR011OPSC
  Lever on Oval Backplate
- PR012CP
- PR012SC
  Lever on Latch Backplate
- PR013CP
- PR013SC
  Lever on Bathroom Backplate

Key Features

- Zinc Base Material
- Classic Design

Finishes Available

CP SC

PR022SC

PR0 LEVERS ON BACKPLATE

Product Codes

- PR021CP
- PR021SC
  Lever on Lock Backplate
- PR021EPCP
- PR021EPSC
  Lever on Euro Backplate
- PR021OPCP
- PR021OPSC
  Lever on Oval Backplate
- PR022CP
- PR022SC
  Lever on Latch Backplate
- PR023CP
- PR023SC
  Lever on Bathroom Backplate

Key Features

- Zinc Base Material
- Classic Design

Finishes Available

CP SC

PR033CP

PR0 LEVERS ON BACKPLATE

Product Codes

- PR031CP
- PR031SC
  Lever on Lock Backplate
- PR031EPCP
- PR031EPSC
  Lever on EuroBackplate
- PR031OPCP
- PR031OPSC
  Lever on Oval Backplate
- PR032CP
- PR032SC
  Lever on Latch Backplate
- PR033CP
- PR033SC
  Lever on Bathroom Backplate

Key Features

- Zinc Base Material
- Classic Design

Finishes Available

CP SC

BS EN 12209
3
GRADE



ZDL
DIN Locks & Accessories

The new range of ZDL locks, available in both square and radius profile & 55mm or 60mm backsets. All locks have been CE & Certifire tested.

ZDL7255 / 60 / 55R / 60R

Euro Sash Lock - 72mm c/c

Product Codes

- ZDL7255SS
- ZDL7255RSS
- ZDL7260SS
- ZDL7260RSS

Key Features

- 55 & 60mm Backsets Available
- Square & Radius Profile Forends
- 22mm SS304 Forend
- Double Throw Deadbolt
- Anti Rattle Strike
- Grip Tight Follower
- Latchbolts & Deadbolts SS304
- BS EN 12209 : 2003 Grade 3

3	X	8	1	0	G	2	B	C	2	0

Finishes Available

SS

Standards

30 & 60 minutes

Technical



ZDL7255NL / 60 / 55R / 60R

Night Latch - 72mm c/c

Product Codes

- ZDL7255NLSS
- ZDL7255NLRSS
- ZDL7260NLSS
- ZDL7260NLRSS

Key Features

- 55 & 60mm Backsets Available
- Square & Radius Profile Forends
- 22mm SS304 Forend
- Anti Thrust Pin
- Grip Tight Follower
- Latchbolts & Deadbolts SS304
- BS EN 12209 : 2003 Grade 3

3	X	8	1	0	G	2	B	B	2	0

Finishes Available

SS

Standards

30 & 60 minutes

Technical



ZDL Rebate Kits are available on Pg. 139

ZDL7855 / 60 / 55R / 60R

Bathroom - 78mm c/c

Product Codes

- ZDL7855SS
- ZDL7855RSS
- ZDL7860SS
- ZDL7860RSS

Key Features

- 55 & 60mm Backsets Available
- Square & Radius Profile Forends
- 22mm SS304 Forend
- Grip Tight Follower
- Latchbolts & Deadbolts SS304
- BS EN 12209 : 2003 Grade 3

3	X	8	1	0	G	-	B	G	2	0

Finishes Available

SS

Standards

30 & 60 minutes

Technical



ZDL0055 / 60 / 55R / 60R

Dead Lock - 72mm c/c

Product Codes

- ZDL0055SS
- ZDL0055RSS
- ZDL0060SS
- ZDL0060RSS

Key Features

- 55 & 60mm Backsets Available
- Square & Radius Profile Forends
- 22mm SS304 Forend
- Double Throw Deadbolt
- Stainless Steel Deadbolts
- BS EN 12209 : 2003 Grade 3

3	X	8	1	0	G	2	B	C	0	0

Finishes Available

SS

Standards

30 & 60 minutes

Technical



ZDL0055L / 60 / 55R / 60R

Latch - 72mm c/c

Product Codes

- ZDL0055LSS
- ZDL0055LRSS
- ZDL0060LSS
- ZDL0060LRSS

Key Features

- 55 & 60mm Backsets Available
- Square & Radius Profile Forends
- 22mm SS304 Forend
- Grip Tight Follower
- Latchbolts & Deadbolts SS304
- BS EN 12209 : 2003 Grade 3

3	X	8	1	0	G	-	B	0	2	0

Finishes Available

SS

Standards

CE 1121 certifire 30 & 60 minutes

Technical



ZDL7260ESC / ZDL7260ESCR

Escape Lock - 72mm c/c

Product Codes

- ZDL7260ESCSS
- ZDL7260ESCRSS

Key Features

- 60mm Backset
- Square & Radius Profile Forends
- 22mm SS304 Forend
- Anti Rattle Strike
- Grip Tight Follower
- SS304 Latchbolts & Deadbolts
- BS EN 179:2008
- BS EN 12209 : 2003 Grade 3

3	7	6	B	1	4	5	2	A	B/D

Finishes Available

SS

Standards

CE 1121 certifire 30 & 60 minutes

Technical



ZDL Accessories are available on Pg's. 139 - 141

ZDL7260ST / ZDL7260STR

Single Throw Euro Sash Lock - 72mm c/c

Product Codes

- ZDL7260STSS
- ZDL7260STRSS

Key Features

- 60mm Backsets Available
- Square Profile Forends
- 22mm SS304 Forend
- Stainless Steel Latch & Deadbolt
- Single Throw Deadbolt
- Anti Rattle Strike
- Grip Tight Follower
- BS EN 12209 : 2003 Grade 3

3	X	8	1	0	G	2	B	C	2	0

Finishes Available

SS

Standards

30 & 60 minutes

Technical



ZDL0060ST / ZDL0060STR

Single Throw Dead Lock - 72mm c/c

Product Codes

- ZDL0060STSS
- ZDL0060STRSS

Key Features

- 60mm Backsets Available
- Square Profile Forends
- 22mm SS304 Forend
- Stainless Steel Deadbolt
- Single Throw Deadbolt
- Anti Rattle Strike
- BS EN 12209 : 2003 Grade 3

3	X	8	1	0	G	2	B	C	0	0

Finishes Available

SS

Standards

30 & 60 minutes

Technical



ZLAP20SS

ZDR01
DIN Rebate Kit

Product Codes
- ZDR01SS

ZDL01
Spare Cylinder Screws for Sash Locks

Product Codes
- ZDL01

ZLAP05
Spare Strike for Sash Locks

Product Codes
- ZLAP05SS

ZLAP30RSS

ZLAP20 / ZLAP20R
Spare Extended Tongue 50mm Anti-rattle Strikes (Square & Radius)

Product Codes
- ZLAP20SS
- ZLAP20RSS

ZLAP30 / ZLAP30R
Spare Anti-rattle Strikes for Sash, Nightlatch & Bathroom Locks (Square & Radius)

Product Codes
- ZLAP30SS
- ZLAP30RSS

ZLAP32SS

ZLAP31 / ZLAP31R
Spare Strikes for Dead Locks

Product Codes
- ZLAP31SS
- ZLAP31RSS

ZLAP32 / ZLAP32R
Spare Strikes for DIN Latch

Product Codes
- ZLAP32SS
- ZLAP32RSS

ADDITIONAL ACCESSORIES

SP40
Spare Flat Strike Plate for DIN Locks - SS201

Product Codes
- SP40

SP42
Spare Flat Strike Plate for DIN Locks - SS304

Product Codes
- SP42

ZDB3
Spare Dust Boxes to suit ZDL Sash Locks - Black

Product Codes
- ZDB3

ZSP05
Spare Spindles to suit ZDL Night Latches

Product Codes
- ZSP05

ZSP10
Spare Split Spindle to suit DIN Escape Lock - 120mm Long

Product Codes
- ZSP10

ZSP11
Spare Split Spindle to suit DIN Escape Lock - 140mm Long

Product Codes
- ZSP11

ADDITIONAL ACCESSORIES

ZSP12

Spare Spindle to suit DIN Escape Lock

Product Codes

- ZSP12

ZSP13

Spare Grub Screw to suit DIN Escape Lock

Product Codes

- ZSP13

BS EN 12209 2 GRADE

ZUK

UK Locks & Accessories

The ZUK range contains products which have been BS EN 12209 Grade 2, CE and FD 30/60 Certifire Tested. Backsets from 64mm to 127mm are available.

ZBSS64 / ZBSS76

British Standard 5 Lever Sash Lock

Product Codes

- ZBSS64SS
- ZBSS64PVD
- ZBSS76SS
- ZBSS76PVD

Key Features

- BSI Kitemark
- Laminated Deadbolt
- Brass Keys Included

Finishes Available

SS PVD

Standards

Technical



ZBSD64 / ZBSD76

British Standard 5 Lever Dead Lock

Product Codes

- ZBSD64SS
- ZBSD64PVD
- ZBSD76SS
- ZBSD76PVD

Key Features

- BSI Kitemark
- Laminated Deadbolt
- Brass Keys Included

Finishes Available

SS PVD

Standards

Technical



ZUK Rebate Kits are available on Pg. 154

ZUKS564 / ZUKS576

5 Lever Sash Lock - 57mm c/c

Product Codes

- ZUKS564SS
- ZUKS564PVD
- ZUKS576SS
- ZUKS576PVD
- ZUKS576SSKA

Key Features

- Solid Brass Latch & Deadbolt
- Sintered Steel Follower
- Short Travel Latch Function
- Grip Tight Spring Follower
- Includes Plastic Back Box
- Keyed Alike Available (76SS)
- BS EN 12209 : 2003 Grade 2

2	H	8	1	0	G	2	B	D	2	B

Finishes Available

SS PVD

Standards

FIRE DOORS 30 60 — BS EN 12209 GRADE 2

CE 1121 — certifire 30 & 60 minutes

Technical



ZUKS364 / ZUKS376

3 Lever Sash Lock - 57mm c/c

Product Codes

- ZUKS364SS
- ZUKS364PVD
- ZUKS376SS
- ZUKS376PVD
- ZUKS376SSKA

Key Features

- Solid Brass Latch & Deadbolt
- Sintered Steel Follower
- Short Travel Latch Function
- Grip Tight Spring Follower
- Includes Plastic Back Box
- Keyed Alike Available (76SS)
- BS EN 12209 : 2003 Grade 2

2	H	8	1	0	G	2	B	D	2	A

Finishes Available

SS PVD

Standards

FIRE DOORS 30 60 — BS EN 12209 GRADE 2

CE 1121 — certifire 30 & 60 minutes

Technical



ZUKS64EP / ZUKS76EP

Euro Sash Lock - 47.5mm c/c

Product Codes

- ZUKS64EPSS
- ZUKS64EPPVD
- ZUKS76EPSS
- ZUKS76EPPVD

Key Features

- Solid Brass Latch & Deadbolt
- Sintered Steel Follower
- Short Travel Latch Function
- Grip Tight Spring Follower
- Includes Plastic Back Box
- BS EN 12209 : 2003 Grade 2

2	H	8	1	0	G	2	B	A	2	0

Finishes Available

SS PVD

Standards

CE 1121 certifire 30 & 60 minutes

Technical



ZUKS64OP / ZUKS76OP

Oval Sash Lock - 48.5mm c/c

Product Codes

- ZUKS64OPSS
- ZUKS64OPPVD
- ZUKS76OPSS
- ZUKS76OPPVD

Key Features

- Solid Brass Latch & Deadbolt
- Sintered Steel Follower
- Short Travel Latch Function
- Grip Tight Spring Follower
- Includes Plastic Back Box
- BS EN 12209 : 2003 Grade 2

2	H	8	1	0	G	2	B	A	2	0

Finishes Available

SS PVD

Standards

CE 1121 certifire 30 & 60 minutes

Technical



ZUK Forends & Accessories are available on Pg's. 154 - 158

ZUKD564 / ZUKD576

5 Lever Dead Lock

Product Codes

- ZUKD564SS
- ZUKD564PVD
- ZUKD576SS
- ZUKD576PVD

Key Features

- Solid Brass Deadbolt
- Sintered Steel Follower
- Includes Plastic Back Box
- BS EN 12209 : 2003 Grade 2

2	H	8	1	0	G	2	B	D	0	B

Finishes Available

SS PVD

Standards

CE 1121 certifire 30 & 60 minutes

Technical



ZUKD364 / ZUKD376

3 Lever Dead Lock

Product Codes

- ZUKD364SS
- ZUKD364PVD
- ZUKD376SS
- ZUKD376PVD

Key Features

- Solid Brass Deadbolt
- Sintered Steel Follower
- Includes Plastic Back Box
- BS EN 12209 : 2003 Grade 2

2	H	8	1	0	G	2	B	D	0	A

Finishes Available

SS PVD

Standards

CE 1121 certifire 30 & 60 minutes

Technical



ZUKD64EP / ZUKD76EP

Euro Dead Lock

Product Codes

- ZUKD64EPSS
- ZUKD64EPPVD
- ZUKD76EPSS
- ZUKD76EPPVD
- ZUKD76EPSSKA

Key Features

- Solid Brass Deadbolt
- Sintered Steel Follower
- Includes Plastic Back Box
- Keyed Alike Available (76EPSS)
- BS EN 12209 : 2003 Grade 2

2	H	8	1	0	G	2	B	A	0	0

Finishes Available

SS PVD

Standards

CE 1121 certifire 30 & 60 minutes

Technical



ZUKD64OP / ZUKD76OP

Oval Dead Lock

Product Codes

- ZUKD64OPSS
- ZUKD64OPPVD
- ZUKD76OPSS
- ZUKD76OPPVD

Key Features

- Solid Brass Deadbolt
- Sintered Steel Follower
- Includes Plastic Back Box
- BS EN 12209 : 2003 Grade 2

2	H	8	1	0	G	2	B	A	0	0

Finishes Available

SS PVD

Standards

CE 1121 certifire 30 & 60 minutes

Technical



ZUK Rebate Kits are available on Pg. 154

ZUKFD64 / ZUKFD76 / ZUKFD102

Flat Dead Lock

Product Codes

- ZUKFD64SS
- ZUKFD64PVD
- ZUKFD76SS
- ZUKFD76PVD
- ZUKFD102SS
- ZUKFD102PVD

Key Features

- Solid Brass Deadbolt
- Sintered Steel Follower
- Includes Plastic Back Box
- BS EN 12209 : 2003 Grade 2

2	H	8	1	0	G	2	B	G	0	0

Finishes Available

SS PVD

Standards

CE 1121 certifire 30 & 60 minutes

Technical



ZUKF64 / ZUKF76 / ZUKF102

Flat Latch

Product Codes

- ZUKF64SS
- ZUKF64PVD
- ZUKF76SS
- ZUKF76PVD
- ZUKF102SS
- ZUKF102PVD

Key Features

- Solid Brass Latch
- Sintered Steel Follower
- Short Travel Latch Function
- Grip Tight Spring Follower
- Includes Plastic Back Box
- BS EN 12209 : 2003 Grade 2

2	H	8	1	0	G	-	B	0	2	0

Finishes Available

SS PVD

Standards

CE 1121 certifire 30 & 60 minutes

Technical



ZUKB64 / ZUKB76

Bathroom Lock - 57mm c/c

Product Codes

- ZUKB64SS
- ZUKB64PVD
- ZUKB76SS
- ZUKB76PVD

Key Features

- Solid Brass Latch & Deadbolt
- Sintered Steel Follower
- Short Travel Latch Function
- Grip Tight Spring Follower
- Includes Plastic Back Box
- BS EN 12209 : 2003 Grade 2

2	H	8	1	0	G	-	B	G	2	0

Finishes Available

SS PVD

Standards

CE 1121 certifire 30 & 60 minutes

Technical



ZUKU64 / ZUKU76

Upright Latch

Product Codes

- ZUKU64SS
- ZUKU64PVD
- ZUKU76SS
- ZUKU76PVD

Key Features

- Solid Brass Latch
- Sintered Steel Follower
- Short Travel Latch Function
- Grip Tight Spring Follower
- Includes Plastic Back Box
- BS EN 12209 : 2003 Grade 2

2	H	8	1	0	G	-	B	0	2	0

Finishes Available

SS PVD

Standards

CE 1121 certifire 30 & 60 minutes

Technical



ZUK Forends & Accessories are available on Pg's. 154 - 158



ZUKH127 / ZUKH152

Horizontal Latch

Product Codes

- ZUKH127SS
- ZUKH127PVD
- ZUKH152SS
- ZUKH152PVD

Key Features

- Solid Brass Latch
- Easy Latch Reversal
- ZZ301 - 400 Keys for Horizontal and Replacement Locks included

Finishes Available

SS PVD

Technical





ZUKH152EP

Euro Horizontal Lock

Product Codes

- ZUKH152EPSS
- ZUKH152EPPVD

Key Features

- Solid Brass Latch
- Easy Latch Reversal
- ZZ301 - 400 Keys for Horizontal and Replacement Locks included

Finishes Available

SS PVD

Technical





ZUKH3127 / ZUKH3152

3 Lever Horizontal Lock

Product Codes

- ZUKH3127SS
- ZUKH3127PVD
- ZUKH3152SS
- ZUKH3152PVD

Key Features

- Solid Brass Latch
- Easy Latch Reversal
- ZZ301 - 400 Keys for Horizontal and Replacement Locks included

Finishes Available

SS PVD

Technical





ZUKHB127 / ZUKHB152

Horizontal Bathroom Lock

Product Codes

- ZUKHB127SS
- ZUKHB127PVD
- ZUKHB152PVD
- ZUKHB152PVD

Key Features

- Solid Brass Latch
- Easy Latch Reversal
- ZZ301 - 400 Keys for Horizontal and Replacement Locks included

Finishes Available

SS PVD

Technical



ZUK Rebate Kits are available on Pg. 154

ZURS364 / ZURS376

3 Lever UK Replacement Sash Lock

Product Codes

- ZURS364SS
- ZURS364PVD
- ZURS376SS
- ZURS376PVD

Finishes Available

SS PVD

Key Features

- Solid Brass Deadbolt
- Retro Fit Replacement Lock
- ZZ301 - 400 Keys for Horizontal and Replacement Locks included

ZURD364 / ZURD376

3 Lever UK Replacement Dead Lock

Product Codes

- ZURD364SS
- ZURD364PVD
- ZURD376SS
- ZURD376PVD

Finishes Available

SS PVD

Key Features

- Solid Brass Deadbolt
- Retro Fit Replacement Lock
- ZZ301 - 400 Keys for Horizontal and Replacement Locks included

ZURNL64 / ZURNL76

UK Replacement Night Latch

Product Codes

- ZURNL64SS
- ZURNL64PVD
- ZURNL76SS
- ZURNL76PVD

Finishes Available

SS PVD

Key Features

- Solid Brass Latchbolt
- Retro Fit Replacement Lock
- ZZ301 - 400 Keys for Horizontal and Replacement Locks included

ZSC364 / ZSC376

3 Lever Contract Sash Lock

Product Codes

- ZSC364EB
- ZSC364NP
- ZSC376EB
- ZSC376NP

Finishes Available

EB NP

Key Features

- 57mm c/c

ZDC364 / ZDC376

3 Lever Contract Deadlock

Product Codes

- ZDC364EB
- ZDC364NP
- ZDC376EB
- ZDC376NP

Finishes Available

EB NP

Key Features

- Solid Brass Deadbolt

ZBC64 / ZBC76

Contract Bathroom Lock

Product Codes

- ZBC64PVD
- ZBC64SS
- ZBC64FB
- ZBC64PCB
- ZBC76PVD
- ZBC76SS
- ZBC76FB
- ZBC76PCB

Finishes Available

PVD SS FB PCB

Key Features

- 57mm c/c

ZUK Forends & Accessories are available on Pg's. 154 - 158

ZUKR02SS

ZUKR01

UK Sash Lock Rebate Kit

Product Codes

- ZUKR01EB
- ZUKR01SN

ZUKR02

UK Dead Lock Rebate Kit

Product Codes

- ZUKR02SS
- ZUKR02PVD

ZUKR03PVD

ZUKR03

UK Horizontal Lock Rebate Kit

Product Codes

- ZUKR03SS
- ZUKR03PVD

ZUKR04

UK Flat Latch Rebate Kit

Product Codes

- ZUKR04SS
- ZUKR04PVD

ZUKR04SS

ZBSK01

British Standard Blank Key

Product Codes

- ZBSK01

ZBSL01 - 08

British Standard Lock Levers

Product Codes

- ZBSL01
- ZBSL02
- ZBSL03
- ZBSL04
- ZBSL05
- ZBSL06
- ZBSL07
- ZBSL08

ZZ300

ZZ300

3L Blank Keys for Horizontal & UK Replacement Locks

Product Codes

- ZZ300

ZZ301 - 400

3L Cut Keys for Horizontal & UK Replacement Locks

Product Codes

- ZZ301-400

ZZ500

5L Blank Keys for Horizontal & UK Replacement Locks

Product Codes

- ZZ500

ZLSC1

ZLSC

Key Blank for 3 Lever Locks

Product Codes

- ZLSC1 (Right Hand)
- ZLSC2 (Left Hand)

ZURW

3 Lever UK Replacement Washers

Product Codes

- ZURW

ZURL1, 2, 7

ZUKL1 - 7

Architectural UK Lock Levers

Product Codes

- ZUKL1
- ZUKL2
- ZUKL3
- ZUKL4
- ZUKL5
- ZUKL6
- ZUKL7

ZURL1 - 7

3 Lever UK Replacement Levers

Product Codes

- ZURL1
- ZURL2
- ZURL3
- ZURL4
- ZURL5
- ZURL6
- ZURL7

ZUK Rebate Kits are available on Pg. 154

ZLAP10PS

ZLAP11RSS

ZLAP12PVD

ZLAP10F

Acc Pack for UK Sash Locks - Unbranded Forend

Product Codes

- ZLAP10FSS

ZLAP10

Acc Pack for UK Sash Locks - w/ Forend, Strike & Fixings

Product Codes

- ZLAP10SS
- ZLAP10PS
- ZLAP10PVD

ZLAP10R

Acc Pack for UK Sash Locks - w/ Radius Forend, Strike & Fixings

Product Codes

- ZLAP10RSS
- ZLAP10RPS
- ZLAP10RPVD

ZLAP11

Acc Pack for UK Dead Locks - w/ Forend, Strike & Fixings

Product Codes

- ZLAP11PSS

ZLAP11R

Acc Pack for UK Dead Locks - w/ Radius Forend, Strike & Fixings

Product Codes

- ZLAP11RSS
- ZLAP11RPVD

ZLAP12F

Acc Pack for UK Upright Latch - Unbranded Forend

Product Codes

- ZLAP12FSS

ZLAP12R

Acc Pack for UK Upright Latch - w/ Radius Forend

Product Codes

- ZLAP12RSS
- ZLAP12RPVD

ZLAP13RPVD

ZLAP13R

Acc Pack for UK Flat Latch - w/ Radius Forend, Strike & Fixings

Product Codes

- ZLAP13RSS
- ZLAP13RPVD

ZLAP14R

Acc Pack for UK Flat Dead - w/ Radius Forend, Strike & Fixings

Product Codes

- ZLAP14RSS
- ZLAP14RPVD

ZLAP15SS

ZLAP15

Spare Long Tongue for UK Locks - w/ Fixings

Product Codes

- ZLAP15SS
- ZLAP15PVD

ZLAP16

Acc Pack for UK H' 3L Locks - w/ Forend, Strike & Fixings

Product Codes

- ZLAP16PSS
- ZLAP16PB
- ZLAP16PVDN



ZLAP17PB

ZLAP17

Acc Pack for UK H' Latches - w/ Forend, Strike & Fixings

Product Codes

- ZLAP17PSS
- ZLAP17PB
- ZLAP17PVDN

ZLAP18

Acc Pack for UK H' 3L Locks - Forend

Product Codes

- ZLAP18SS

ZLAP19

Acc Pack for UK H' Latches - Forend

Product Codes

- ZLAP19SS

ADDITIONAL ACCESSORIES

SP41
Spare Flat Strike Plate for Flat Latches and Dead Locks - SS201

Product Codes
- SP41

SP43
Spare Flat Strike Plate for Flat Latches and Dead Locks - SS304

Product Codes
- SP43

ZDB1
Spare Dust Boxes to suit ZBC Locks

Product Codes
- ZDB1

ZUKSP01
Spare Lever Packs for ZUK 3L Dead Lock - 7 Levers per Pack

Product Codes
- ZUKSP01

BS EN 12209 classifies mechanically operated locks, latches and locking plates using an 11 digit coding system.

Each digit refers to a particular feature of the product measured against the standards performance requirements.

Digit 1 – Category of use

Three grades are identified:

- Grade 1: low frequency of use with a high incentive to exercise care and a small chance of misuse, e.g. internal residential doors
- Grade 2: medium frequency of use by people with some incentive to exercise care but where there is some chance of misuse, e.g. internal office doors
- Grade 3: high frequency of use by public or others with little incentive to exercise care and with a high chance of misuse, e.g. public doors

Digit 2 – Durability

Twelve grades are identified with maximum figures for deadbolt and snib operation, and latch bolt operation with and without side load.

Digit 3 – Door mass and closing force

Nine grades are identified with maximum figures for closing force at various door masses. Note: Closing force is from a standing start: i.e. fully extended latch bolt in contact with striking plate at start of test.

Digit 4 – Fire resistance

Two grades are identified:

- Grade 0: not approved for use on fire/smoke door assemblies
- Grade 1: suitable for use on fire/smoke door assemblies tested to BS EN 1634-1 etc

Digit 5 – Safety (N/A)

Digit 6 – Corrosion resistance

Eight grades are identified neutral salt-spray with and without temperature resistance

Digit 7 – Security

Seven grades are identified with maximum figures relating to physical attack, with or without drilling.

Digit 8 – Field of door application

Fifteen grades are identified for differing applications - hinged or sliding doors with rim or mortice locks with either keyless egress from inside or key locking from both sides. The grading determines which application is appropriate. In addition, there is a requirement that lock/latch should not be removable from outside or, for grades K to R, from inside using “standard” tools. Grades H and P require support for the lock case when installed.

Digit 9 – Type of key operation and locking

Nine grades are identified for differing types of key operation. The grading determines how the lock is assessed for deadlocking. There is a maximum key torque operating requirement of 1.5Nm and a minimum key strength requirement of 2.5Nm.

Digit 10 – Type of spindle operation

Five grades are identified:

- Grade 0: lock without follower
- Grade 1: lock with sprung lever or knob
- Grade 2: lock with light unsprung lever
- Grade 3: lock with heavy unsprung lever
- Grade 4: lock with manufacturer’s own specification furniture

Digit 10 – Type of spindle operation

Nine grades are identified relating to the number of differs and levers:

- Grade 0: no requirements
- Grade A: minimum 3 detaining elements
- Grade B: minimum 5 detaining elements
- Grade C: minimum 5 detaining elements, extended number of effective differs
- Grade D: minimum 6 detaining elements
- Grade E: minimum 6 detaining elements, extended number of effective differs

ZTLA
Tubular Latches

A range of Tubular Latches, Contract Tubular Latches, Tubular Bolt Through Deadbolts and accompanying accessories available in upto 4 finishes.

ZTLA76 / ZTLA76R

Architectural Tubular Latch

Product Codes

- ZTLA76SS
- ZTLA76RSS

Key Features

- BS EN 1634-1
- 25 degree Short Travel
- BS EN 12209 Certifire
- Suitable for Bolt Through
- Guided Latch Bolt
- Heavy Duty Dual Spring

1	C	7	1	0	F	-	B	0	NPD	0

Standards

CE 1121

Finishes Available

SS

ZTLKA64 / 76 / 102 / 127 / 152

Tubular Latch

Product Codes

- ZTLKA64SS
- ZTLKA76SS
- ZTLKA102SS
- ZTLKA127SS
- ZTLKA152SS

Key Features

- BS EN 1634-1
- 2.5", 3", 4", 5", 6" Available
- Tubular Bolt through Latch
- Guided Latch Bolt
- Adjustable Strike

Standards

Finishes Available

SS

ZTDA64 / 76 / 102 / 127 / 152

Tubular Deadbolt

Product Codes

- ZTDA64SS
- ZTDA76SS
- ZTDA102SS
- ZTDA127SS
- ZTDA152SS

Key Features

- BS EN 1634-1
- 2.5", 3", 4", 5", 6" Available
- Tubular Bolt through Deadbolt
- ZDB2 - Spare Dust Box to suit ZTDA Deadbolts available

Standards

Finishes Available

SS

ZTLA
Tubular Latches

ZTLA Accessories are available on Pg. 164

ZTB64 / ZTB76
Contract Tubular Bolt Through Latch

Product Codes
- ZTB64SS
- ZTB64PVD
- ZTB76SS
- ZTB76PVD

Key Features
- Adjustable Strike
- BS EN 1634-1

Standards

Finishes Available

SS PVD

ZTRC01
Tubular Rebate Kit

Product Codes
- ZTRC01EB
- ZTRC01NP

Finishes Available

EB NP



ZRL76
Adjustable Roller Latch

Product Codes
- ZRL76SS
- ZRL76PSS
- ZRL76PVD
- ZRL76PN

Finishes Available

SS PS PVD PN

ZRB01

37mm Rack Bolts

Product Codes

- ZRB01CP
- ZRB01SC
- ZRB01EB
- ZRB01PCW

Finishes Available

CP SC EB PCW

ZRB02

61mm Rack Bolts

Product Codes

- ZRB02CP
- ZRB02SC
- ZRB02EB
- ZRB02PCW

Finishes Available

CP SC EB PCW

ZRBK01

Rack Bolt Key

Product Codes

- ZRBK01

ZLAP01 / ZLAP01R

Acc Pack for Heavy Duty Tubular Latch - 60 x 40mm

Product Codes

- ZLAP01SS
- ZLAP01PSS
- ZLAP01PVD
- ZLAP01PVDN
- ZLAP01FB
- ZLAP01PCB
- ZLAP01RSS
- ZLAP01RPSS
- ZLAP01RPVD
- ZLAP01RFB
- ZLAP01RPCB

Finishes Available

SS PS PVD PVDN FB PCB

ZLAP02 / ZLAP02R

Acc Pack for Heavy Duty Tubular Deadbolt - 60 x 25mm

Product Codes

- ZLAP02SS
- ZLAP02PSS
- ZLAP02PVD
- ZLAP02PVDN
- ZLAP02FB
- ZLAP02PCB
- ZLAP02RSS
- ZLAP02RPSS
- ZLAP02RPVD

Finishes Available

SS PS PVD PVDN FB PCB

ZLAP06 / ZLAP06R

Spare Extended Tongue Strike to suit ZTLA & ZTLKA Latches - 65 x 50mm

Product Codes

- ZLAP06SS
- ZLAP06PSS
- ZLAP06PVD
- ZLAP06FB
- ZLAP06PCB
- ZLAP06RSS

Finishes Available

SS PS PVD FB PCB

BS EN 1935 classifies hinges by using an 8 digit coding system.

A similar classification applies to all building hardware product standards so that complementary items of hardware can be specified to, for instance, a common level of corrosion resistance, category of use, etc. Each digit refers to a particular feature of the product measured against the standards performance requirements.

Digit 1 – Category of use

Four grades are identified:

- Grade 1: light duty
- Grade 2: medium duty
- Grade 3: heavy duty
- Grade 4: severe duty

Digit 2 – Durability

Three grades are identified for single-axis hinges:

European Standard

- Grade 3: 10,000 test cycles, for light duty hinges on windows only
- Grade 4: 25,000 test cycles, for light duty hinges on windows and doors
- Grade 7: 200,000 test cycles, for medium, heavy and severe duty hinges on doors only

Digit 3 – Door mass and closing force

Eight door mass grades related to single-axis hinges are identified in the European Standard as shown below:

Test Door Mass	**Grade**
10kg	0
20kg	1
40kg	2
60kg	3
80kg	4
100kg	5
120kg	6
160kg	7

Digit 4 – Fire resistance

Two grades are identified for single-axis hinges:

- Grade 0: not approved for use on fire/smoke door assemblies
- Grade 1: suitable for use on fire/smoke door assemblies tested to BS EN 1634-1 etc

Digit 5 – Safety

Single-axis hinges are required to satisfy the essential requirements of safety in use. Therefore, only one grade is identified.

Digit 6 – Corrosion resistance

Five grades of corrosion resistance are identified in accordance with EN 1670:

- Grade 0: no defined corrosion resistance
- Grade 1: mild resistance
- Grade 2: moderate resistance
- Grade 3: high resistance
- Grade 4: very high resistance

Digit 7 – Security

Two grades are identified for single-axis hinges:

- Grade 0: not suitable for burglar-resistant door assemblies
- Grade 1: suitable for applications requiring a degree of security

Digit 8 – Hinge Grade

Fourteen grades are identified in this European Standard and are listed below:

Hinge Grade	**Usage**	**Test Cycles**	**Door Mass**
1	Window	10,000	10kg
2	Window	10,000	20kg
3	Window/Door	25,000	20kg
4	Door	200,000	20kg
5	Window	10,000	40kg
6	Window/Door	25,000	40kg
7	Door	200,000	40kg
8	Window	10,000	60kg
9	Window/Door	25,000	60kg
10	Door	200,000	60kg
11	Door	200,000	80kg
12	Door	200,000	100kg
13	Door	200,000	120kg
14	Door	200,000	160kg

ZHS
Hinges

A range of Hinges including SS304, SS201, Ball Bearing and Washered variations. The range features standards of up to BS EN 1935 Grade 13.

ZHSS243PS

ZHSS243

Grade 13 Ball Bearing Hinge

Product Codes

- ZHSS243SS
- ZHSS243PS
- ZHSS243PVD

Key Features

- BS EN 1935 : 2002 Grade 13
- Grade 201 Stainless Steel
- 102 x 76 x 3mm

4	7	6	1	1	4	0	1	3

Standards

CE 1121 certifire 30 & 60 minutes

Finishes Available

SS PS PVD

ZHSS243RPVD

ZHSS243R

Grade 13 Ball Bearing Hinge - Radius

Product Codes

- ZHSS243RSS
- ZHSS243RPS
- ZHSS243RPVD

Key Features

- BS EN 1935 : 2002 Grade 13
- Grade 201 Stainless Steel
- 102 x 76 x 3mm

4	7	6	1	1	4	0	1	3

Standards

CE 1121 certifire 30 & 60 minutes

Finishes Available

SS PS PVD

ZHSS243SS3

ZHSS243-3

Grade 13 Ball Bearing Hinge - Pair & a Half

Product Codes

- ZHSS243SS3
- ZHSS243PS3
- ZHSS243PVD3

Key Features

- BS EN 1935 : 2002 Grade 13
- Grade 201 Stainless Steel
- 102 x 76 x 3mm

4	7	6	1	1	4	0	1	3

Standards

CE 1121 certifire 30 & 60 minutes

Finishes Available

SS PS PVD

ZHS Accessories are available on Pg's. 172 - 173

ZHSS43 / ZHSS43R

Grade 13 Ball Bearing Hinge

Product Codes

- ZHSS43SS
- ZHSS43PS
- ZHSS43RPS

Key Features

- BS EN 1935 : 2002 Grade 13
- Grade 304 Stainless Steel
- 102 x 76 x 3mm

4	7	6	1	1	4	0	1	3

Standards

CE 1121 certifire 30 & 60 minutes

Finishes Available

SS PS

ZHSSDB243

Dog Bolt or Security Door Hinge

Product Codes

- ZHSSDB243SS

Key Features

- BS EN 1935 : 2002 Grade 13
- Grade 201 Stainless Steel
- 102 x 76 x 3mm

4	7	6	1	1	4	0	1	3

Standards

CE 1121 certifire 30 & 60 minutes

Finishes Available

SS

ZHSS244

Grade 13 Ball Bearing Hinge

Product Codes

- ZHSS244SS
- ZHSS244PS
- ZHSS244PVD

Key Features

- BS EN 1935 : 2002 Grade 13
- Grade 201 Stainless Steel
- 102 x 102 x 3mm

4	7	6	1	1	4	0	1	3

Standards

CE 1121 certifire 30 & 60 minutes

Finishes Available

SS PS PVD

ZHSS232

Stainless Steel Door Hinge

Product Codes

- ZHSS232SS
- ZHSS232PS
- ZHSS232PVD

Key Features

- Grade 201 Stainless Steel
- 76 x 50 x 2mm

Standards

Finishes Available

SS PS PVD

ZHS32

Steel Door Hinge

Product Codes

- ZHS32EB
- ZHS32CP
- ZHS32CP
- ZHS32FB
- ZHS32PCB

Key Features

- Steel
- 76 x 50 x 2mm

Standards

Finishes Available

EB CP SC
FB PCB

ZHS43

Steel Door Hinge

Product Codes

- ZHS43EB
- ZHS43CP
- ZHS43SC
- ZHS43FB
- ZHS43PCB

Key Features

- Steel
- 102 x 76 x 3mm

Standards

Finishes Available

EB CP SC
FB PCB

ZHS Accessories are available on Pg's. 172 - 173

ZHSSW232

SS201 - Washered Hinge

Product Codes

- ZHSSW232SS
- ZHSSW232PS

Key Features

- Grade 201 Stainless Steel
- 76 x 50 x 2mm

Finishes Available

SS PS

Standards

ZHSSW243

SS201 - Washered Hinge

Product Codes

- ZHSSW243SS
- ZHSSW243PS

Key Features

- BS EN 1935 : 2002 Grade 7
- Grade 201 Stainless Steel
- 102 x 76 x 3mm

2	7	2	1*	1	4	0	7

Finishes Available

SS PS

Standards

CE 1121

ZHSS352

Slim Knuckle Bearing Hinge

Product Codes

- ZHSS352SS
- ZHSS352PS
- ZHSS352PVD

Key Features

- Grade 201 Stainless Steel
- 76 x 52 x 1.5mm

Finishes Available

SS PS PVD

ZHSS63

Slim Knuckle Bearing Hinge

Product Codes

- ZHSS63SS
- ZHSS63PS
- ZHSS63PVD

Key Features

- Grade 201 Stainless Steel
- 102 x 63 x 2.5mm

Finishes Available

SS PS PVD

ADDITIONAL ACCESSORIES

SPS01

Spare Screw Pack to suit ZHS43EB - No.10 x 32mm (8 Pack)

Product Codes

- SPS01

SPS02

Spare Screw Pack to suit ZHS43CP - No.10 x 32mm (8 Pack)

Product Codes

- SPS02

SPS03

Spare Screw Pack to suit ZHS43FB - No.10 x 32mm (8 Pack)

Product Codes

- SPS03

SPS04

Spare Screw Pack to suit ZHS43PCB - No.10 x 32mm (8 Pack)

Product Codes

- SPS04

ADDITIONAL ACCESSORIES

SPS05
Spare Screw Pack to suit ZHS43SC - No.10 x 32mm (8 Pack)

Product Codes
- SPS05

SPS06
Spare Screw Pack to suit ZHS32EB - No.8 x 25mm (6 Pack)

Product Codes
- SPS06

SPS07
Spare Screw Pack to suit ZHS32SC - No.8 x 25mm (6 Pack)

Product Codes
- SPS07

SPS08
Spare Screw Pack to suit ZHS32FB - No.8 x 25mm (6 Pack)

Product Codes
- SPS08

SPS09
Spare Screw Pack to suit ZHS32PCB - No.8 x 25mm (6 Pack)

Product Codes
- SPS09

ADDITIONAL ACCESSORIES

SPS10
Spare Screw Pack to suit ZHS32SC - No.8 x 25mm (6 Pack)

Product Codes
- SPS10

SPS11
Spare Screw Pack to suit ZHSS243S - No.10 x 32mm (8 Pack)

Product Codes
- SPS11

SPS12
Spare Screw Pack to suit ZHSS232S - No.8 x 25mm (6 Pack)

Product Codes
- SPS12

SPS14
Spare Screw Pack to suit ZHSS243PVD - No.10 x 32mm (8 Pk)

Product Codes
- SPS14

SPS15
Spare Screw Pack to suit ZHSS243P - No.10 x 32mm (8 Pack)

Product Codes
- SPS15

ZEP & ZOP

Euro & Oval Cylinders

A range which comprises of Single, Double & Turn Cylinders with Euro & Oval bodies. Key to Differ, Keyed Alike or Master Keyed versions are available.

ZEP45SPC

ZEP40S - 70S

Euro Single Cylinders

Product Codes

- ZEP40SPB
- ZEP40SPC
- ZEP40SSC
- ZEP45SPB
- ZEP45SPC
- ZEP45SSC
- ZEP45SBK
- ZEP50SPB
- ZEP50SSC
- ZEP55SPB
- ZEP55SPC
- ZEP55SSC
- ZEP60SPB
- ZEP60SPC
- ZEP60SSC
- ZEP65SPB
- ZEP65SPC
- ZEP65SSC
- ZEP70SPB
- ZEP70SPC
- ZEP70SSC

Standards

Key Features

- EN 1303 Tested
- Anti Drill Cylinder
- Anti Pick Cylinder
- Available as:
  - Key to Differ
  - Keyed Alike
  - Master Keyed

Finishes Available

PB PC SC BK

ZEP80DPB

ZEP60D - 100D

Euro Double Cylinders

Product Codes

- ZEP60DPB
- ZEP60DPC
- ZEP60DSC
- ZEP60DBK
- ZEP70DPB
- ZEP70DPC
- ZEP70DSC
- ZEP70DBK
- ZEP80DPB
- ZEP80DPC
- ZEP80DSC
- ZEP80DBK
- ZEP90DPB
- ZEP90DPC
- ZEP90DSC
- ZEP90DBK
- ZEP100DPB
- ZEP100DPC
- ZEP100DSC
- ZEP100DBK

Standards

Key Features

- EN 1303 Tested
- Anti Drill Cylinder
- Anti Pick Cylinder
- Available as:
  - Key to Differ
  - Keyed Alike
  - Master Keyed

Finishes Available

PB PC SC BK

All ZEP & ZOP Cylinders are sold with 3 Blank Keys as standard

ZEP3050DPC

ZEP4055DPB

ZEP6040DSC

ZEP3040D - 4555D

Euro Offset Double Cylinders

Product Codes

- ZEP3040DPB
- ZEP3040DSC
- ZEP3050DPB
- ZEP3050DPC
- ZEP3050DSC
- ZEP3070DPB
- ZEP3070DPC
- ZEP3070DSC
- ZEP3540DPB
- ZEP3540DPC
- ZEP3540DSC
- ZEP3545DPB
- ZEP3545DPC
- ZEP3545DSC
- ZEP3550DPB
- ZEP3550DPC
- ZEP3550DSC
- ZEP3555DPB
- ZEP3555DPC
- ZEP3555DSC
- ZEP4045DPB
- ZEP4045DPC
- ZEP4045DSC
- ZEP4050DPB
- ZEP4050DPC
- ZEP4050DSC
- ZEP4055DPB
- ZEP4055DPC
- ZEP4055DSC
- ZEP4060DPB
- ZEP4060DPC
- ZEP4060DSC
- ZEP4550DPB
- ZEP4550DPC
- ZEP4550DSC
- ZEP4555DPB
- ZEP4555DPC
- ZEP4555DSC

Standards

Key Features

- EN 1303 Tested
- Anti Drill Cylinder
- Anti Pick Cylinder
- Available as:
  - Key to Differ
  - Keyed Alike
  - Master Keyed

Finishes Available

PB PC SC

ZEP70CTSC

ZEP60CT - 100CT

Euro Cylinder & Turns

Product Codes

- ZEP60CTPB
- ZEP60CTPC
- ZEP60CTSC
- ZEP60CTBK
- ZEP70CTPB
- ZEP70CTPC
- ZEP70CTSC
- ZEP70CTBK
- ZEP80CTPB
- ZEP80CTPC
- ZEP80CTSC
- ZEP80CTBK
- ZEP90CTPB
- ZEP90CTPC
- ZEP90CTSC
- ZEP90CTBK
- ZEP100CTPB
- ZEP100CTPC
- ZEP100CTSC
- ZEP100CTBK

Standards

Key Features

- EN 1303 Tested
- Anti Drill Cylinder
- Anti Pick Cylinder
- Available as:
  - Key to Differ
  - Keyed Alike
  - Master Keyed

Finishes Available

PB PC SC BK

ZEP70CBL

70mm Euro Turn & Coin Release Bathroom Cylinder

Product Codes

- ZEP70CBLPB
- ZEP70CBLPC
- ZEP70CBLSC

Standards

Key Features

- EN 1303 Tested
- Anti Drill Cylinder
- Anti Pick Cylinder

Finishes Available

PB PC SC

ZEP & ZOP Accessories are available on Pg's. 184 - 185

ZEP45ST

45mm Euro Single Body
- Turn Only

Product Codes

- ZEP45STPB
- ZEP45STPC
- ZEP45STSC

Key Features

- EN 1303 Tested
- Anti Drill Cylinder
- Anti Pick Cylinder

Standards

Finishes Available

PB PC SC

ZEPCR70 / CR80

Euro Classroom Cylinder
& Turns

Product Codes

- ZEPCR70PB
- ZEPCR70PC
- ZEPCR70SC
- ZEPCR80PB
- ZEPCR80PC
- ZEPCR80SC

Key Features

- EN 1303 Tested
- Anti Drill Cylinder
- Anti Pick Cylinder
- Available as:
  - Key to Differ
  - Keyed Alike
  - Master Keyed

Standards

Finishes Available

PB PC SC

ZEP3050CTPC

ZEP6040CTSC

ZEP3545CT - 6040CT

Euro Offset Cylinder & Turns

Product Codes

- ZEP3050CTPB
- ZEP3050CTPC
- ZEP3050CTSC
- ZEP3070CTSC
- ZEP3540CTPB
- ZEP3540CTPC
- ZEP3540CTSC
- ZEP3545CTPB
- ZEP3545CTPC
- ZEP3545CTSC
- ZEP3555CTSC
- ZEP3555CTPC
- ZEP3555CTSC
- ZEP4035CTPB
- ZEP4035CTPC
- ZEP4035CTSC
- ZEP4050CTPB
- ZEP4050CTPC
- ZEP4050CTSC
- ZEP4060CTPB
- ZEP4060CTPC
- ZEP4060CTSC
- ZEP4535CTPB
- ZEP4535CTPC
- ZEP4535CTSC

Product Codes

- ZEP5030CTPB
- ZEP5030CTPC
- ZEP5030CTSC
- ZEP6040CTPB
- ZEP6040CTPC
- ZEP6040CTSC
- ZEP7030CTSC
- ZEP7030CTPC
- ZEP7030CTSC

Standards

Key Features

- EN 1303 Tested
- Anti Drill Cylinder
- Anti Pick Cylinder
- Available as:
  - Key to Differ
  - Keyed Alike
  - Master Keyed

Finishes Available

PB PC SC

ZRMC20 / ZTRC20

Rim & Threaded Rim
Cylinder Bodies

Product Codes

- ZRMC20PB
- ZRMC20PC
- ZRMC20SC
- ZRMC20BK
- ZTRC20SC (Threaded)

Key Features

- EN 1303 Tested
- Anti Pick Cylinder
- Available as:
  - Key to Differ
  - Keyed Alike
  - Master Keyed

Standards

Finishes Available

PB PC SC BK

All ZEP & ZOP Cylinders are sold with 3 Blank Keys as standard

ZOP45SPB

ZOP45S

45mm Oval Single Body

Product Codes

- ZOP45SPB
- ZOP45SSC

ZOP60D / 70D / 80D

60, 70 & 80mm Oval Double Bodies

Product Codes

- ZOP60DPB
- ZOP60DSC
- ZOP70DPB
- ZOP70DSC
- ZOP80DPB
- ZOP80DSC

ZOP60DSC

ZOP60CT / 70CT / 80CT

60, 70 & 80mm Oval Cylinder & Turns

Product Codes

- ZOP60CTPB
- ZOP60CTSC
- ZOP70CTPB
- ZOP70CTSC
- ZOP80CTPB
- ZOP80CTSC

ZOP80CTPB

OVAL CYLINDERS

Key Features

- EN 1303 Tested
- Anti Drill Cylinder
- Anti Pick Cylinder
- Available as:
  - Key to Differ
  - Keyed Alike
  - Master Keyed

Standards

Finishes Available

PB SC

ZOPSOI-31SC

ZOPSOI-31

31mm Scandinavian Oval Cylinder (Inner)

Product Codes

- ZOPSOI-31PB
- ZOPSOI-31SC

ZOPSOO-31

31mm Scandinavian Oval Cylinder (Outer)

Product Codes

- ZOPSOO-31PB
- ZOPSOO-31SC

ZOPSOO-31PB

ZOPSO3131

31mm Scandinavian Oval Cylinder (Inner & Outer)

Product Codes

- ZOPSO3131PB
- ZOPSO3131SC

SCANDINAVIAN OVAL CYLINDERS

Key Features

- EN 1303 Tested
- Anti Drill Cylinder
- Anti Pick Cylinder
- Available as:
  - Key to Differ
  - Keyed Alike
  - Master Keyed

Standards

Finishes Available

PB SC

ZOPSO3131SC

ZEP & ZOP Accessories are available on Pg's. 184 - 185

ZEP & ZOP E RANGE

Economy Cylinders

Product Codes

Euro Single KTD Anti Drill

- ZEP40SPBE
- ZEP40SPCE
- ZEP40SSCE
- ZEP45SPBE
- ZEP45SPCE
- ZEP45SSCE
- ZEP50SSCE
- ZEP55SSCE
- ZEP55SPCE
- ZEP55SSCE

Euro Double KTD Anti Drill

- ZEP60DPBE
- ZEP60DPCE
- ZEP60DSCE
- ZEP70DPBE
- ZEP70DPCE
- ZEP70DSCE
- ZEP80DPBE
- ZEP80DPCE
- ZEP80DSCE
- ZEP90DPBE
- ZEP90DPCE
- ZEP90DSCE
- ZEP100DPBE
- ZEP100DPCE
- ZEP100DSCE

Product Codes

Euro Offset Double KTD Anti Drill

- ZEP3050DPBE
- ZEP3050DPCE
- ZEP3050DSCE
- ZEP3540DSCE
- ZEP3540DPCE
- ZEP3540DSCE
- ZEP3545DPBE
- ZEP3545DPCE
- ZEP3545DSCE
- ZEP3550DSCE
- ZEP3550DPCE
- ZEP3550DSCE
- ZEP3555DPBE
- ZEP3555DPCE
- ZEP3555DSCE
- ZEP4045DPBE
- ZEP4045DPCE
- ZEP4045DSCE
- ZEP4050DPBE
- ZEP4050DPCE
- ZEP4050DSCE
- ZEP4055DPBE
- ZEP4055DPCE
- ZEP4055DSCE
- ZEP4060DPBE
- ZEP4055DPCE
- ZEP4055DSCE
- ZEP4550DPBE
- ZEP4550DPCE
- ZEP4550DSCE
- ZEP4555DSCE
- ZEP4555DPCE
- ZEP4555DSCE

Product Codes

Euro Cylinder & Turn KTD Anti Drill

- ZEP60CTPBE
- ZEP60CTPCE
- ZEP60CTSCE
- ZEP70CTPBE
- ZEP70CTPCE
- ZEP70CTSCE
- ZEP80CTPBE
- ZEP80CTPCE
- ZEP80CTSCE
- ZEP90CTPBE
- ZEP90CTPCE
- ZEP90CTSCE

Rim Cylinder KTD Anti Drill

- ZRMS20PBE
- ZRMS20PCE
- ZRMS20SCE

Oval Single KTD Anti Drill

- ZOP45SPBE
- ZOP45SSCE

Oval Double KTD Anti Drill

- ZOP60DPBE
- ZOP60DSCE
- ZOP70DPBE
- ZOP70DSCE
- ZOP80DPBE
- ZOP80DSCE
- ZOP90DPBE
- ZOP90DSCE

Oval Cylinder & Turn KTD Anti Drill

- ZOP60CTPBE
- ZOP60CTSCE
- ZOP70CTPBE
- ZOP70CTSCE
- ZOP80CTPBE
- ZOP80CTSCE
- ZOP90CTPBE
- ZOP90CTSCE

Standards

Key Features

- EN 1303 Tested
- Anti Drill Cylinder
- Anti Pick Cylinder
- Available as:
  - Key to Differ

Finishes Available

ZEP - MK1

Stock Suite - Master System 1

Product Codes

- ZEP45SPBMK1
- ZEP45SSCMK1
- ZEP60DPBMK1
- ZEP60DSCMK1
- ZEP70DPBMK1
- ZEP70DSCMK1
- ZEP80DPBMK1
- ZEP80DSCMK1
- ZEP60CTPBMK1
- ZEP60CTSCMK1
- ZEP70CTPBMK1
- ZEP70CTSCMK1
- ZEP80CTPBMK1
- ZEP80CTSCMK1
- ZRMC20PBMK1
- ZRMC20SCMK1

Standards

Key Features

- EN 1303 Tested
- Anti Drill Cylinder
- Anti Pick Cylinder
- Stamped for ease of re-ordering

Finishes Available

PB SC

ZEP - MK2

Stock Suite - Master System 2

Product Codes

- ZEP45SSCMK2
- ZEP70DSCMK2
- ZEP80DSCMK2
- ZEP70CTSCMK2
- ZEP80CTSCMK2
- ZRMC20SCMK2

Standards

Finishes Available

SC

Key Features

- Anti Drill Cylinder
- Anti Pick Cylinder
- Stamped for ease of re-ordering

ZEPDLTCP

ZEPDLT

Disabled Large Turn to suit Cylinder

Product Codes

- ZEPDLTPB
- ZEPDLTPC
- ZEPDLTSC

ZEPDT

Designer Turn to suit Cylinder

Product Codes

- ZEPDTPB
- ZEPDTPC
- ZEPDTSC

ZEPDTPB

ZEPST

Standard Turn to suit Cylinder

Product Codes

- ZEPSTPB
- ZEPSTPC
- ZEPSTSC

ZMK

Master Key & Sub Master Key

Product Codes

- ZMK
- ZMK1 - (To suit MK1 Stock Suite - Master Key Only)
- ZMK2 - (To suit MK2 Stock Suite - Master Key Only)

ZEP70DK

70mm Euro Double Body Dual Key

Product Codes

- ZEP70DKSC

ZEPSTSC

ZEP ACCESSORIES

Key Features

- To suit all ZEP products

Finishes Available

PB PC SC

ZDK

Z300
3L Blank Key

Product Codes
- Z300

Z301 - 400
3L Cut Keys

Product Codes
- Z301-400

Z500
5L Blank Keys

Product Codes
- Z500

ZKB

ZDK
Differ Key

Product Codes
- ZDK

ZKB
Square Key Blanks

Product Codes
- ZKB

ZKR

ZKR
Key Rings (Per 100 No.)

Product Codes
- ZKR

Z1700
Cylinder Retaining Screws (Per 50 No.)

Product Codes
- Z1700EB - 64mm
- Z1700NP - 76mm

ZPH
Panic Hardware

The ZPH range consists of Push Bar Units, Double Door Sets and Outside Locking Devices to help provide solutions for emergency exit requirements.

ZPH285

Double Door Set for Rebated Doors

Product Codes

- ZPH285

Key Features

- Non-handed
- Fire rated for use on Timber & Steel doors
- Surface mounted
- Adapter supplied for operating with Rim Cylinder

3	7	6	B	1	3	2	2	A	A
EN 1125 : 2008									

ZPH294

Single Panic Bolt

Product Codes

- ZPH294

Key Features

- Non-handed
- Fire rated for use on Timber & Steel doors
- Surface mounted
- Adapter supplied for operating with Rim Cylinder

3	7	6	B	1	3	2	2	A	A
EN 1125 : 2008									

ZPH296

Panic Latch

Product Codes

- ZPH296

Key Features

- Non-handed
- Fire rated for use on Timber & Steel doors
- Surface mounted
- Adapter supplied for operating with Rim Cylinder

3	7	6	B	1	3	2	2	A	A
EN 1125 : 2008									

ZPH297

Push Pad Latch - OAD with Knob

Product Codes

- ZPH297

Key Features

- Non-handed
- Fire rated for use on Timber & Steel doors
- Surface mounted
- Adapter supplied for operating with Rim Cylinder

3	7	6	B	1	3	4	2	B	A
EN 179 : 2008									

ZPH298

OAD with Knob

Product Codes

- ZPH298

Key Features

- Non-handed
- Fire rated for use on Timber & Steel doors
- Surface mounted
- Supplied as standard for doors up to 60mm thick
- Longer Spindles and Screws are available on request

ZPH302EA

OAD with Knob - No Cylinder

Product Codes

- ZPH302EA

Key Features

- Non-handed
- Fire rated for use on Timber & Steel doors
- Surface mounted
- Supplied as standard for doors up to 45mm thick
- Longer Spindles and Screws are available on request

ZPH302EC

OAD with Knob - Euro Cylinder

Product Codes

- ZPH302EC

Key Features

- Non-handed
- Fire rated for use on Timber & Steel doors
- Surface mounted
- Supplied as standard for doors up to 45mm thick
- Longer Spindles and Screws are available on request

ZPH322EA

OAD with Lever - No Cylinder

Product Codes

- ZPH322EA

Key Features

- Non-handed
- Meets dimensional requirements of BS8300 and approved document “M” (DDA)
- Supplied with special shear screw designed to break under excessive force
- Surface mounted
- Supplied as standard for doors up to 55mm thick
- Longer Spindles and Screws are available on request for door thickness over 55mm & 70mm

ZPH322EC

OAD with Lever - Euro Cylinder

Product Codes

- ZPH322EC

Key Features

- Non-handed
- Meets dimensional requirements of BS8300 and approved document "M" (DDA)
- Supplied with special shear screw designed to break under excessive force
- Surface mounted
- Supplied as standard for doors up to 55mm thick
- Longer Spindles and Screws are available on request for door thickness over 55mm & 70mm

ZPHPO803

Replacement 2100 Top Shoot Tube

Product Codes

- ZPHPO803

Key Features

- For doors upto 3180mm high

INDEX

FB01	088
FB02	088
FB03	088
FB04	088
FB05	088
FB7	086
FB7LCK	086
FB10	082
FB11	082
FB13	089
FB14	089
FB14A	089
FB16	090
FB18	083
FB30	085
FB31	086
FB32	085
FB33	085
FB40	082
FB41	083
FB42	083
FB51	084
FB52	084
FB54	084
FB001	081
FB002	081
FB004	081
FB005	081
FB011	078
FB011EP	078
FB012	078
FB013	078
FB021	078
FB021EP	078
FB022	078
FB023	078
FB030	081
FB031	079
FB031EP	079
FB031EP72	079
FB032	079
FB033	079
FB03378	079
FB041	080
FB041EP	080
FB042	080
FB043	080
FB051	080
FB051EP	080
FB052	080
FB053	080
FB106	091
FB107	091
FB200	069
FB200R	069
FB201	069
FB201R	069
FB202	069
FB202R	069
FB300	074
FB301	074
FB302	074
FB304	070
FB305	071
FB306	071
FB307	071
FB319	086
FB400	075
FB401	075
FB403	075
FB500	072
FB500R	072
FB501	072
FB501R	072
FB502	072
FB502R	072
FB503	073
FB503R	073
FB504	073
FB504R	073
FB505	073
FBBP01	087
FBBP01R	087
FBBP02	087
FBBP02R	087
FBD225B	090
FBD300B	090
FBD425B	090
FBK01	087
FBK02	087
FBK03	087
FBK04	087
FCH01A	076
FCH01B	076
FCH01C	076
FCH01D	076
FCH02A	076
FCH02B	076
FCH03A	076
FCH03B	076
FCH04A	077
FCH04B	077
FCH05A	077
FCH05C	077
PR011	133
PR011EP	133
PR011OP	133
PR012	133
PR013	133
PR021	133
PR021EP	133
PR021OP	133
PR022	133
PR023	133
PR031	133
PR031EP	133
PR031OP	133
PR032	133
PR033	133
SP20	130
SP21	028
SP22	042
SP26	042
SP30	021
SP40	140
SP41	158
SP42	140
SP43	158
SP45	089
SPS01	172
SPS02	172
SPS03	172
SPS04	172
SPS05	172
SPS06	172
SPS07	172
SPS08	173
SPS09	173
SPS10	173
SPS11	173
SPS12	173
SPS13	021
SPS14	173
SPS15	173
VRP01	011
VS21	011
VS000	009
VS001	009
VS002	009
VS003	009
VS004i	009
VS010	005
VS020	005
VS030	006
VS040	006
VS050	007
VS070	007
VS080	008
VS110	008
VSD425B	010
VSD425C	010
VSM425B	010
VSM425C	010
Z300	185
Z301 - 400	185
Z500	185
Z1700	185
ZAA1	106
ZAA1LP	107
ZAA1EP	106
ZAA1EPLP	107
ZAA1EP72	106
ZAA1OP	106
ZAA1OPLP	107
ZAA2	106
ZAA2LP	107

ZAA3 106
ZAA3LP 107
ZAA378 106
ZAA3LP78 107
ZAA02 109
ZAA03 109
ZAA40A 109
ZAA40B 109
ZAA40C 109
ZAA40D 109
ZAA60 108
ZAA61 108
ZAA000 104
ZAA001 104
ZAA002 104
ZAA003 104
ZAA004 104
ZAA004i 104
ZAA006i 104
ZAA011 105
ZAA011EP 105
ZAA011OP 105
ZAA012 105
ZAA013 105
ZAA030 103
ZAA080 103
ZAA100 105
ZAAD150B 110
ZAAD150BSABB 110
ZAAD225B 110
ZAAD225BSABB 110
ZAAD300B 110
ZAAD300BSABB 110
ZAAD300C 110
ZAAD300CSABB 110
ZAAD425B 110
ZAAD425BSABB 110
ZAAD425C 110
ZAAD425CSABB 110
ZAAD600B 110
ZAAD600BSABB 110
ZAAD600C 110
ZAAILP 107
ZAAIP 106
ZAB06 093
ZAB06B 093
ZAB07 094
ZAB07B 094
ZAB08 094
ZAB09 095
ZAB09B 095
ZAB12 095
ZAB15 097
ZAB60 096
ZAB61 096
ZAB62 096
ZAB63 096
ZAB64 096
ZAB65 096
ZAB70 097
ZAB79 098
ZAB80 098
ZAB81 099
ZAB82 099
ZAB83 097
ZAB85 093
ZAB100A 100
ZAB100B 100
ZAB100C 100
ZAS01 061
ZAS02 045
ZAS03 045
ZAS05 045
ZAS06B 052
ZAS06C 052
ZAS07 056
ZAS08B 056
ZAS09 045
ZAS10 046
ZAS11 057
ZAS12 045
ZAS12SQ 057
ZAS13 045
ZAS14 045
ZAS14A 045
ZAS15 048
ZAS16 047
ZAS17 047
ZAS18 047
ZAS19 047
ZAS25 048
ZAS30A 050
ZAS30B 050
ZAS30C 050
ZAS30D 050
ZAS32A 050
ZAS32B 050
ZAS32C 050
ZAS32D 050
ZAS33 051
ZAS34 051
ZAS37 049
ZAS38 049
ZAS40A 046
ZAS40B 046
ZAS40C 046
ZAS41 046
ZAS42 047
ZAS43 047
ZAS51 049
ZAS70 058
ZAS71 058
ZAS72 059
ZAS73 059
ZAS74 060
ZAS75 060
ZAS76 061
ZAS84 053
ZAS85 053
ZAS86 054
ZAS87 054
ZAS88 055
ZAS89 055
ZAS008 048
ZBBF19 033
ZBBF22 033
ZBBF25 033
ZBBF30 033
ZBC64 153
ZBC76 153
ZBSD64 143
ZBSD76 143
ZBSL01 154
ZBSL02 154
ZBSL03 154
ZBSL04 154
ZBSL05 154
ZBSL06 154
ZBSL07 154
ZBSL08 154
ZBSK01 154
ZBSS64 143
ZBSS76 143
ZCA21 114
ZCA21EP 114
ZCA21OP 114
ZCA22 114
ZCA23 114
ZCA000 113
ZCA001 113
ZCA002 113
ZCA003 113
ZCA004i 113
ZCA030 113
ZCAD225B 114
ZCAD300B 114
ZCS31 031
ZCS31EP 031
ZCS31EP72 031
ZCS31OP 031
ZCS32 031
ZCS33 031
ZCS3378 031
ZCS41 029
ZCS41EP 029
ZCS41EP72 029
ZCS41OP 029
ZCS42 029
ZCS43 029
ZCS4378 029
ZCS000 027
ZCS001 027
ZCS002 027
ZCS003 027
ZCS004 028
ZCS004i 028

INDEX

ZCS006i	028
ZCS010	023
ZCS020	023
ZCS030	024
ZCS040	024
ZCS050	025
ZCS070	025
ZCS080	026
ZCS090	026
ZCS120	027
ZCSD150B	032
ZCSD225B	032
ZCSD300B	032
ZCSD300C	032
ZCSD425B	032
ZCSD425C	032
ZCSD600B	032
ZCSD600C	032
ZCSG300B	032
ZCSG300C	032
ZCSG425B	032
ZCSG425C	032
ZCSG600B	032
ZCSG600C	032
ZCSIP19	030
ZCSIP22	030
ZCSIPSP	029
ZCS2000	039
ZCS2001	039
ZCS2002	039
ZCS2003	039
ZCS2004	039
ZCS2006i	039
ZCS2010	035
ZCS2020	035
ZCS2030	036
ZCS2040	036
ZCS2080	037
ZCS2120	037
ZCS2130	038
ZCS2140	038
ZCS2D150B	040
ZCS2D225B	040
ZCS2D300B	040
ZCS2D300C	040
ZCS2D425B	040
ZCS2D425C	040
ZCS2D600B	040
ZCS2D600C	040
ZCS2G300B	041
ZCS2G300C	041
ZCS2G425B	041
ZCS2G425C	041
ZCS2G600B	041
ZCS2G600C	041
ZCS2G600E	041
ZCS2G1200E	041
ZCS2G1800E	041
ZCS2M150B	040
ZCS2M225B	040
ZCS2M300B	040
ZCS2M425B	040
ZCS2M600B	040
ZCZ001	128
ZCZ002	28
ZCZ004	128
ZCZ010	127
ZCZ011	129
ZCZ011EP	129
ZCZ012	129
ZCZ013	129
ZCZ020	127
ZCZ030	128
ZCZ031	129
ZCZ031EP	129
ZCZ032	129
ZCZ033	129
ZDB1	158
ZDB3	140
ZDC364	153
ZDC376	153
ZDK	185
ZDL01	139
ZDL0055	136
ZDL0055L	137
ZDL0060	136
ZDL0060L	137
ZDL0060ST	138
ZDL7255	135
ZDL7255NL	135
ZDL7260	135
ZDL7260ESC	137
ZDL7260NL	135
ZDL7260ST	138
ZDL7855	136
ZDL7860	136
ZDR01	139
ZEP40S	175
ZEP40SE	182
ZEP45S	175
ZEP45SMK1	183
ZEP45SMK2	183
ZEP45SE	182
ZEP45ST	178
ZEP50S	175
ZEP50SE	182
ZEP55S	175
ZEP55SE	182
ZEP60CT	177
ZEP60CTE	182
ZEP60CTMK1	183
ZEP60D	175
ZEP60DE	182
ZEP60DMK1	183
ZEP60S	175
ZEP65S	175
ZEP70CBL	177
ZEP70CT	177
ZEP70CTE	182
ZEP70CTMK1	183
ZEP70CTMK2	183
ZEP70CR	178
ZEP70D	175
ZEP70DE	182
ZEP70DK	184
ZEP70DMK1	183
ZEP70DMK2	183
ZEP80CT	177
ZEP80CTE	182
ZEP80CTMK1	183
ZEP80CTMK2	183
ZEP80CR	178
ZEP80D	175
ZEP80DE	182
ZEP80DMK1	183
ZEP80DMK2	183
ZEP90CT	177
ZEP90CTE	182
ZEP90D	175
ZEP90DE	182
ZEP100CT	177
ZEP100CTE	182
ZEP100D	175
ZEP100DE	182
ZEP3040D	176
ZEP3050CT	179
ZEP3050D	176
ZEP3050DE	182
ZEP3070CT	179
ZEP3070D	176
ZEP3540CT	179
ZEP3540D	176
ZEP3540DE	182
ZEP3545CT	179
ZEP3545CTE	182
ZEP3545D	176
ZEP3545DE	182
ZEP3550D	176
ZEP3550DE	182
ZEP3555CT	179
ZEP3555CTE	182
ZEP3555D	176
ZEP3555DE	182
ZEP4035CT	179
ZEP4045D	176
ZEP4045DE	182
ZEP4050CT	179
ZEP4050CTE	182
ZEP4050D	176
ZEP4050DE	182
ZEP4055D	176
ZEP4055DE	182
ZEP4060CT	179
ZEP4060CTE	182
ZEP4060D	176
ZEP4060DE	182

ZEP4535CT 179
ZEP4535CTE 182
ZEP4550D 176
ZEP4550DE 182
ZEP4555D 176
ZEP5030CT 179
ZEP6040CT 179
ZEP7030CT 179
ZEPDT 184
ZEPDLT 184
ZEPST 184
ZFP01 033
ZFP02 123
ZFP03 042
ZFP04 021
ZFP05 111
ZFP06 033
ZFP07 021
ZFP08 111
ZG4S000 013
ZG4S001 013
ZG4S002 013
ZG4S003 013
ZG4S030 013
ZG4SPS 021
ZHS32 169
ZHS43 169
ZHSS43 168
ZHSS63 171
ZHSS232 169
ZHSS243 167
ZHSS244 168
ZHSS352 171
ZHSSDB243 168
ZHSSW232 170
ZHSSW243 170
ZKB 185
ZKR 185
ZLAP01 164
ZLAP02 164
ZLAP06 164
ZLAP10 156
ZLAP10F 156
ZLAP10R 156
ZLAP11R 156
ZLAP12F 156
ZLAP12R 156
ZLAP13R 157
ZLAP14R 157
ZLAP15 157
ZLAP16 157
ZLAP17 157
ZLAP18 157
ZLAP19 157
ZLAP20 139
ZLAP30 139
ZLAP31 139
ZLAP32 139
ZLSC1 155
ZLSC2 155
ZMK 184
ZMK1 184
ZMK2 184
ZOP45S 180
ZOP60CT 180
ZOP60D 180
ZOP70CT 180
ZOP70D 180
ZOP80CT 180
ZOP80D 180
ZOPSO3131 181
ZOPSOI-31 181
ZOPSOO-31 181
ZPH285 187
ZPH294 187
ZPH296 188
ZPH297 188
ZPH298 189
ZPH302EA 189
ZPH302EC 190
ZPH322EA 190
ZPH322EC 191
ZPHPO803 191
ZPS000 020
ZPS001 020
ZPS002 020
ZPS003 020
ZPS004 020
ZPS004i 020
ZPS005 020
ZPS006i 020
ZPS007i 020
ZPS010 015
ZPS020 015
ZPS030 016
ZPS070 016
ZPS080 017
ZPS100 019
ZPS110 017
ZPS120 018
ZPS130 018
ZPS200 019
ZPZ001 123
ZPZ002 123
ZPZ004 123
ZPZ010 117
ZPZ020 117
ZPZ030 118
ZPZ050 118
ZPZ060 119
ZPZ070 119
ZPZ071 124
ZPZ071EP 124
ZPZ072 124
ZPZ073 124
ZPZ080 120
ZPZ081 124
ZPZ081EP 124
ZPZ082 124
ZPZ083 124
ZPZ090 120
ZPZ100 121
ZPZ110 121
ZPZ120 122
ZPZ130 122
ZPZ140 122
ZRB01 163
ZRB02 163
ZRBK01 163
ZRL76 162
ZRMC20 179
ZRMC20E 182
ZRMC20MK1 183
ZRMC20MK2 183
ZRP01 042
ZRP02 033
ZRP03 033
ZRP04 114
ZRP05 111
ZSA01 064
ZSA02 064
ZSA03 064
ZSA04 065
ZSA07 065
ZSA08 065
ZSA09 066
ZSA10 066
ZSA11 066
ZSA12 066
ZSC364 153
ZSC376 153
ZSN00A 063
ZSN00B 063
ZSN01A 063
ZSN01B 063
ZSN02A 063
ZSN02B 063
ZSN03A 063
ZSN03B 063
ZSN04A 063
ZSN04B 063
ZSN05A 063
ZSN05B 063
ZSN06A 063
ZSN06B 063
ZSN07A 063
ZSN07B 063
ZSN08A 063
ZSN08B 063
ZSNA 063
ZSNB 063
ZSNC 063
ZSND 063
ZSNE 063
ZSNF 063
ZSNG 063

INDEX

ZSP05	140
ZSP10	140
ZSP11	140
ZSP12	141
ZSP13	141
ZSP104	130
ZSS01	064
ZSS02	064
ZSS03	064
ZSS04	065
ZSS07	065
ZSS08	065
ZSS09	066
ZSS10	066
ZSS11	066
ZSS12	066
ZTB64	162
ZTB76	162
ZTDA64	161
ZTDA76	161
ZTDA102	161
ZTDA127	161
ZTDA152	161
ZTLA76	161
ZTLKA64	161
ZTLKA76	161
ZTLKA102	161
ZTLKA127	161
ZTLKA152	161
ZTRC01	162
ZTRC20	179
ZUKB64	149
ZUKB76	149
ZUKD64EP	147
ZUKD76EP	147
ZUKD64OP	147
ZUKD76OP	147
ZUKD364	146
ZUKD376	146
ZUKD564	146
ZUKD576	146
ZUKF64	148
ZUKF76	148
ZUKF102	148
ZUKFD64	148
ZUKFD76	148
ZUKFD102	148
ZUKH127	150
ZUKH152	150
ZUKH152EP	150
ZUKH3127	151
ZUKH3152	151
ZUKHB127	151
ZUKHB152	151
ZUKL1	155
ZUKL2	155
ZUKL3	155
ZUKL4	155
ZUKL5	155
ZUKL6	155
ZUKL7	155
ZUKR01	154
ZUKR02	154
ZUKR03	154
ZUKR04	154
ZUKSP01	158
ZUKS64EP	145
ZUKS76EP	145
ZUKS64OP	145
ZUKS76OP	145
ZUKS364	144
ZUKS376	144
ZUKS564	144
ZUKS576	144
ZUKU64	149
ZUKU76	149
ZURD364	152
ZURD376	152
ZURL1	155
ZURL2	155
ZURL3	155
ZURL4	155
ZURL5	155
ZURL6	155
ZURL7	155
ZURNL64	152
ZURNL76	152
ZURS364	152
ZURS376	152
ZURW	155
ZZ300	155
ZZ301 - 400	155
ZZ500	155

Services

PROVIDING TOP QUALITY

- Technical expertise
- Product knowledge
- Product selection
- Standard compliance
- Accurate and concise scheduling capabiltiy

EQUIPPED & TRAINED TO SUPPORT

- Architects
- Building Contractors
- Designers
- Project Managers
- Quantity Surveyors
- Estimators

> **OUR VISION IS TO MEET CUSTOMER REQUIREMENTS FIRST TIME EVERY TIME AT LOWEST COST**

IRONMONGERY SCHEDULING SERVICE

- Team of registered members of the GAI
- Trained and experienced team prepare acccurate quotes and schedules from drawings, designs and documented customer requirements
- Adopted Guild processes and protocols support accurate assessment and concise security advice for all residential and commercial properties
- In-house tracking procedure monitoring end to end scheduling process
- All schedules conform to current building and fire regulations
- 30 years experience in providing schedules for all varieties of projects

TECHNICAL EXPERTISE

- 30 years of experience in the architectural ironmongery industry promotes technical excellence and exceptional service
- **TBKS** guidance and knowledge ensures correct product selection and application
- Full support for all ironmongery aspects throughout the project
- Adoption of the GAI code of conduct and best working practices promoting customer satisfaction

LOCK SHOP

- **TBKS** in-house Lock Shop with the capabilities to deal with a wide variety of security issues
- On site “while you wait” key cutting service
- Adherence to MLA (Master Locksmith Association) protocol ensures accurate assessment and security advice regarding standards for residential and commercial properties

EXPORT

- **TBKS** is an experienced overseas supplier and recognises the importance of getting it right first time every time
- The experienced **TBKS** team will ensure all products recommended are suitable for the required overseas environment
- The team will use their export experience to make sure delivery times are realistic and have taken into account any customs regulations and restriction when agreeing delivery dates
- The **TBKS** team will assist in defining requirements and provide a detailed schedule and quote taking into account any delivery impacts

TBKS

Architectural Ironmongery

Commercial Catalogue

ORDERING INFORMATION :

ONLINE	**WWW.TBKS.CO.UK**
E-MAIL	**SALES@ TBKS.CO.UK**
TELEPHONE	**01225 462 090**
FAX	**01225 443 081**

VISIT OUR SHOWROOM

2 ASHMANS YARD,
LOCKSBROOK ROAD,
BATH,
BA1 3EH